MARPLES TOOLS FOR WOOD-WORK

SHAMROCK BRAND

Have a reputation to keep up!

SOME USEFUL HINTS.

USING A BRADAWL

Cut across grain to avoid splitting wood

HORIZONTAL PARING

Support the left wrist, and grip the chisel firmly



CUTTING CURVED STOPS

or similar short quick curves, using chisel bevel downwards



VERTICAL PARING

Cut from the short to the long fibres

SPOKESHAVING AN EXTERNAL CURVE

Raise the wrists, to keep the blade cutting

USING THE TRY SQUARE

as a setting-out tool



USING A GAUGE

Watch the point or points

SPOKESHAVING AN INTERNAL CURVE

More pressure of the thumbs required here



A Comfortable Grip on the bow saw handle



USING THE BRACE

Watch the vertical line

GRIPPING THE SAW HANDLE

Note the position of fore-finger

COMMENCING THE CUT

Use left thumb to guide the saw

USING THE JACK PLANE

Note position of right fore-finger



STARTING THE CUT for TENONS

Start in this way, then push the wood to a vertical position

CROSS CUTTING

Support the outer end with left hand



EDGE PLANING

Note method of gripping plane, to keep the edge square

CUTTING SHOULDER LINES

Cut deeply with the marking knife

CHISELLING A GROOVE

against the cut shoulder line, to give the saw a good start

PRICES CANCELLED

TO THE WOODWORKER

The tools in this pocket catalogue are the best you can obtain. Any one of them will give you years of faithful service.

If the tool you require is not shown in this list, ask the dealer to show you our General Catalogue—you will find it there.

All good tool shops sell MARPLES "Shamrock Brand" TOOLS, but if you have any difficulty in obtaining them write us and we will put you in touch with your nearest stockist.

Your dealer is authorised to replace any tool which fails to give full satisfaction, providing it has been fairly used on the work for which it was designed.

A set of MARPLES TOOLS is something to be proud of. Take a pride in your tools, and you will take a pride in your work.

Remember—a good tool quickly pays for itself; a poor tool is a bad bargain, whatever the price.

You are safe with MARPLES "Shamrock Brand."

WM. MARPLES & SONS LTD.
HIBERNIA WORKS SHEFFIELD 1

The prices shown in this list are subject to alteration without notice.

PLEASE ORDER THROUGH YOUR DEALER

GT.10M. 3/40.

INDEX

	Page
Adzes	14
Alphabet Stamps	61
Augers	22, 23
Augers Bits	24
Awls, Brad	26
,, Flooring	27
,, Marking	28
Awl Pads	27
Axes	15
Basses, Tool	59
Bead Planes	52
Bell Gimlets	25
Bench Holdfasts	66
,, Hooks	66
,, Screws	65
,, Stops	66
,, Vices	63, 64
Bevels	34
Bit Holders	17
,, Rolls	21
Block Planes	54
Bow Saws	39
Braces	16, 17
Brace Bits	18 to 21
,, Jaws	17
Brad Awls	26
,, Punches	40
Broughton's Countersinks	19
Cabinet Scrapers	29
Carving Tools	4, 5
Centre Bits	18, 21
Chalk Lines	35
Chamfer Planes	49
Chipping Boards	66
Chisels	6 to 12
Chisel Handles	6
Cold Chisels	72
Compasses	60
Compass Planes	47
Cork Rubbers	61
Corner Cramps	70
Countersink Bits	19
Cramps	67, 68, 69
Cramp Heads	68
Cutting Gauges	32
,, Nippers	60
Dado Grooving Planes	49
Dividers	60
Dogs, Joiners'	28
Dowel Bits	23, 24
,, Plates	21
,, Rounders	21
,, Trimmers	21
Draw Borers	12
Drawer Lock Chisels	12
Drawing Knives	14
Drill Bits	19
Drills, Wall	72
Figure Stamps	61
File Cleaners	61
Filister Planes	51
Floor Cramps	69
,, Cutting Chisels	11
G Cramps	67
Gauges	32, 33
Gimlet Bits	18
Gimlets	25
Glue Brushes	61
,, Kettles	61
Glueing Cramps	67
Gouges	7, 9, 12
Gouge Slips	62
Greenhouse Planes	49
Grooving Planes	46, 49, 50, 54
Guillotine Shears	71
Hack Saws	43
Hammers	57 to 59
Hand Screws	65
Handles Adze	14
,, Axe	15
,, Chisel	6
,, File	61
,, Hammer	58
,, Plane	47, 48
,, Saw	44
Hatchets	15
Holdfasts	66
Hollows and Rounds	50
Iron Planes	53 to 55
Jack Planes	45, 47, 48, 53
Joint Cramps	28
Jointer Planes	53
Jumper Drills	72

	Page
Keyhole Saws	39
Knives, Mount Cutters'	71
,, Striking	28
Lead Pencils	61
Letter Marks	61
Levels, Spirit	36, 37
Lines, Chalk	35
Lock Mortise Chisels	10
Machine Augers	23
Mallets	59
Marks, Joiners'	61
Marking Awls	28
,, Gauges	32
Mitre Blocks	70
,, Boxes	71
,, Cramps	70
,, Cutters	70
,, Shuteing Boards	71
,, Squares	34
,, Templets	70
Mortise Chisels	10
,, Gauges	33
Moulding Planes	52
Mount Cutters	71
Nail Punches	40
Name Stamps	61
Nests of Saws	42
Nippers, Cutting	60
Oil Cans	62
Oil Stones	62
Old Woman's Tooth Plane	49
Pads, Awl	27
,, Saw	39
,, Tool	27
Paring Chisels	8
,, Gouges	9
Pencils, Carpenters'	61
Picture Framing Tools	70 to 71
Pincers, Tower	60
Planes	45 to 55
Plane Handles	47, 48
Plane Irons	13
Pliers	60
Plough Bits	13
,, Planes	46, 51, 55
Plugging Chisels	72
Plumb Bobs and Plumb Boards	35
,, Levels	36, 37
Pruning Saws	42
Rabbet Planes	46, 48, 49, 54
Ratchet Braces	16
Rimer Bits	20
Rolls, Auger Bit	24
,, Brace Bit	21
Roughing Planes	48
Router Planes	55
Rubbers, Cork	61
Sash Cramps	68
,, Planes	52
Saws	39, 41 to 44
Saw Cases	44
,, Frames	39
,, Handles	44
,, Pads	39
,, Screws	44
,, Sets	40
,, Sharpening Vices	64
Scrapers, Handled	29
Screw Boxes, Wood	59
Screwdrivers	30, 31
Scrub Planes	48
Shafts, Hammer	57
Shears, Guillotine	71
Shell Augers	22, 23
,, Bits	18
Shuteing Boards	71
Slips, Gouge	62
Slot Boring Bits	21
Smooth Planes	47, 53
Socket Chisels	11
Spirit Levels	36, 37
,, Level Tubes	37
Spokeshave Irons	38
Spokeshaves	38, 56
Spoon Bits	18
Squares Steel	35
,, Mitre, Try	34
Stamps	61
Straight Edges	71
Striking Knives	28
Swiss Bits	19
Tack Hammers	58
Taper Bits	19
Templets, Mitre	70
Tool Basses	59
,, Pads	27
Tooth Planes	47, 49
,, Plane Irons	13
Trenching Planes	49
Try Squares	34
,, Planes	45, 48
Turning Tools	12
Turnscrews	30, 31
Turnscrew Bits	20
Twist Drills	19
Vices	63, 64
Wall Drills	72
Wing Compasses	60
Wood Bench Vices	65
,, Screw Boxes	59
Woodturning Tools	12
Wrecking Bars	15
Wrenches, Adjustable	72

SIZES AND SWEEPS OF
STRAIGHT AND BENT CARVING GOUGES.

Straight Gouges.	Bent Gouges.	Spoon-bit Gouges.	Back-bent Gouges.
Nos.	Nos.	Nos.	Nos.
3	12	24	33
4	13	25	34
5	14	26	35
6	15	27	36
7	16	28	37
8	17	29	38
9	18	30	
10	19	31	
11	20	32	



SIZES AND SWEEPS OF
STRAIGHT AND BENT V PARTING TOOLS.

Straight V Tool	Curved V Tool	Spoon-bit V Tool
Nos.	Nos.	Nos.
39	40	43
41	42	44
45	46	



The right tool for the right job.

LONDON-PATTERN CARVING TOOLS (not Handled).

		All sizes to	½"	⅝"	¾"
	1 Square Chisels 2 Skew Chisels	each	1/1	1/1	1/3
	21 Spoon-bit Chisels, Square 22 Spoon-bit Chisels, Right Corner ..... 23 Spoon-bit Chisels, Left Corner		1/5	1/5	1/5
	3 to 9 Straight Gouges ...		1/3	1/3	1/6
	10 Ditto ...		1/5	1/5	1/8
	11 Ditto ...		1/8	1/8	2/2
	12 to 18 Curved Gouges ...		1/7	1/7	1/9
	19 and 20 Ditto		1/11	1/11	2/5
	24 to 30 Spoon-bit Gouges ...		1/7	1/7	1/9
	31 and 32 Ditto		1/11	1/11	2/5
	33 to 38 Back-bent Gouges ...		1/7	1/7	1/9
	39, 41, 45 Straight V Parting Tools ...		1/11	2/5	3/-
	40, 42, 46 Curved V Parting Tools		2/1	2/7	3/2
	43 and 44 Spoon-bit V Parting Tools		2/1	2/7	3/2
	47 Veiners $\frac{1}{32}$ inch and upwards		1/8 each		
	48 Macaroni Tools		2/7 each		
	52 Dog-leg Chisels		1/7	1/11	2/5
	50 Fish Tail Chisels		1/2	1/2	1/4
	51 Ditto Gouges		1/4	1/4	1/7

N.B.—London Carving Tools are Black outside and Straw-coloured inside. If Bright all over –/1 each extra. * All Gouges, $\frac{1}{16}$ inch and under, advance **2d.** each.

HANDLING (Extra).—In Beech or Ash, to 1 in. **–/5.** Above, **–/6** each. Boxwood to 1 in. **–/9.** Above, **–/11** each. **Prices of larger sizes on application.**

HANDLED FIRMER CHISELS.

310 Round Ash or Beech Handled.

To	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2	1 3/4	2	ins.
	-/11	1/-	1/-	1/1	1/1	1/2	1/4	1/5	1/7	1/9	1/11	2/1	2/3	2/9	3/2	each

317 Boxwood Carving Handled.

To	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2	1 3/4	2	ins.
	1/2	1/2	1/4	1/4	1/5	1/6	1/6	1/8	1/10	2/1	2/3	2/5	2/7	3/-	3/6	each

HANDLED BEVEL-EDGE FIRMER CHISELS.

370 Round Ash or Beech Handled.

To	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2	1 3/4	2	ins.
	1/6	1/7	1/7	1/8	1/8	1/9	1/10	1/11	2/1	2/7	2/9	2/11	3/2	3/10	4/4	each.

377 Boxwood Carving Handled.

To	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2	1 3/4	2	ins.
	1/9	1/9	1/9	1/10	1/11	2/-	2/-	2/3	2/5	2/11	3/-	3/2	3/5	4/2	4/7	each

378 London Octagon Boxwood Handled.

To	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2	1 3/4	2	ins.
	1/10	1/11	1/11	2/-	2/-	2/1	2/3	2/5	2/6	3/-	3/2	3/5	3/7	4/4	4/10	each.

CHISEL HANDLES.

	For Chisels to	1/4	3/8	1/2	5/8	3/4	1	1 1/4	1 3/4	2	ins.
7512	Round Ash or Beech.....	-/2	-/2	-/3	-/3	-/3	-/4	-/4	-/4	-/4	each
7527	Carving Pattern Boxwood.....	-/4	-/4	-/4	-/5	-/5	-/6	-/6	-/7	-/8	,,
7550	Octagon Boxwood	-/6	-/6	-/6	-/7	-/7	-/8	-/8	-/9	-/10	,,

A good tool is cheapest in the end.

HANDLED FIRMER GOUGES.

410 Round Ash or Beech Handled, Curves A to E.

To	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2 ins.
	1/4	1/4	1/4	1/5	1/5	1/6	1/7	1/9	1/10	2/2	2/5	2/11	2/11 each

417 Boxwood Carving Handled, Curves A to E.

To	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2 ins.
	1/6	1/7	1/7	1/8	1/8	1/9	1/10	2/–	2/1	2/6	2/9	3/2	3/2 each.

HANDLED FIRMER GOUGES IN-CANNEL.

430 Round Ash or Beech Handled, Curves A to E.

To	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2 ins.
	1/4	1/5	1/5	1/6	1/6	1/7	1/8	1/9	1/10	2/3	2/6	3/–	3/– each.

437 Boxwood Carving Handled, Curves A to E.

To	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2 ins.
	1/7	1/8	1/8	1/9	1/9	1/10	1/11	2/–	2/2	2/6	2/10	3/3	3/3 each.

Firmer Gouges, Curve F, –/2 each extra to above.

HANDLED SASH OR SCRIBING GOUGES. (Curve C.)

467

	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1 ins.
460 Round Ash or Beech Handled	1/7	1/8	1/8	1/9	1/9	1/10	1/11	2/1	2/3 each
467 Carving Boxwood Handled	1/10	1/11	1/11	2/–	2/–	2/1	2/2	2/4	2/6 ,,

Good tools make your work easier.

LONG THIN PARING CHISELS.

510 Round Ash or Beech Handled.

1/8	1/4	3/8	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 1/2	1 3/4	2	ins.
1/6	1/6	1/6	1/7	1/9	1/10	1/11	2/3	2/7	2/11	3/7	4/2	5/2	each.

517 Boxwood Carving Handled.

1/8	1/4	3/8	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 1/2	1 3/4	2	ins.
1/8	1/8	1/9	1/10	1/11	2/1	2/3	2/7	2/10	3/2	3/10	4/5	5/5	each.

BEVEL EDGE LONG THIN PARING CHISELS.

530 Round Ash or Beech Handled.

1/8	1/4	3/8	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 1/2	1 3/4	2	ins.
2/3	2/3	2/3	2/5	2/7	2/8	2/9	3/2	3/9	4/2	4/10	5/9	6/9	each.

537 Boxwood Carving Handled.

1/8	1/4	3/8	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 1/2	1 3/4	2	ins.
2/6	2/6	2/7	2/8	2/9	2/11	3/-	3/5	4/-	4/6	5/2	6/-	7/1	each.

538 London Octagon Boxwood Handled.

1/8	1/4	3/8	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 1/2	1 3/4	2	ins.
2/8	2/8	2/8	2/9	2/11	3/2	3/2	3/6	4/2	4/7	5/4	6/3	7/3	each.

LONG THIN PARING GOUGES.

560 Round Ash Handled, Curves A to E.

1/8	1/4	3/8	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 1/2	ins.
2/1	2/1	2/3	2/3	2/6	2/8	2/9	3/–	3/6	3/11	4/6	each.

567 Boxwood Carving Handled, Curves A to E.

1/8	1/4	3/8	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 1/2	ins.
2/5	2/5	2/5	2/7	2/8	2/11	3/–	3/3	3/9	4/3	4/9	each.

PARING GOUGES TO CIRCLES.

550 Long Thin Paring Gouge, Straight.

555 Long Thin Paring Gouge, Cranked.

	Straight.		Cranked.
1/8" Gouge to 1/8" Circle	2/–	...	2/7 each.
1/4" Gouge to 1/4" Circle	2/–	...	2/7
5/16" Gouge to 3/8" Circle	1/10	...	2/5
3/8" Gouge to 1/2" Circle	1/10	...	2/5
1/2" Gouge to 5/8" Circle	1/11	...	2/6
5/8" Gouge to 3/4" Circle	2/–	...	2/7
3/4" Gouge to 7/8" Circle	2/3	...	2/9
7/8" Gouge to 1" Circle	2/4	...	2/10
1" Gouge to 1 1/4" Circle	2/8	...	3/2
1" Gouge to 1 1/2" Circle	2/8	...	3/2
1 1/8" Gouge to 1 3/4" Circle	3/2	...	3/8
1 1/8" Gouge to 2" Circle	3/2	...	3/8
1 1/8" Gouge to 2 1/2" Circle	3/2	...	3/8
1 1/8" Gouge to 3" Circle	3/2	...	3/8
1 1/4" Gouge to 3 1/2" Circle	3/6	...	4/–
1 1/4" Gouge to 4" Circle	3/6	...	4/–
1 1/4" Gouge to 5" Circle	3/6	...	4/–
1 1/4" Gouge to 6" Circle	3/6	...	4/–
1 1/4" Gouge to 8" Circle	3/6	...	4/–
1 1/4" Gouge to 12" Circle	3/6	...	4/–

HANDLED REGISTERED CHISELS.

601 Extra Strong Registered Chisels, Double Hooped Ash Handled.

1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	1 1/2	1 3/4	2 ins.
1/8	1/8	1/8	1/9	1/9	1/10	2/-	2/3	2/7	2/9	2/10	3/2	3/9	**4/2** each.

MORTISE CHISELS.



706 Best Mortise Chisels, Oval Beech Handled.

1/8	3/16	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	ins.
3/6	3/6	3/6	3/6	3/8	3/9	3/11	4/4	4/7	5/3	each.

SASH MORTISE CHISELS.

737 London-pattern Sash Mortise Chisels, Boxwood Handled.

1/8	3/16	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	ins.
3/2	3/2	3/2	3/2	3/3	3/6	3/9	4/-	4/4	4/11	each.

LOCK MORTISE CHISELS.



740 London-pattern Lock Mortise Chisels, Boxwood Handled.

3/8	7/16	1/2	9/16	5/8	ins.
4/8	4/8	4/8	4/11	5/3	each.

746 Improved Socket Lock Mortise Chisels, Ash Handled.

3/8	7/16	1/2	9/16	5/8	ins.
6/10	6/10	6/10	7/2	7/5	each.

Ask your dealer's advice.

SOCKET CHISELS.

801 Socket Chisels, Ash Handled, with bright Steel Hoops.

¼	⅜	½	⅝	¾	⅞	1	1⅛	1¼	1½	1¾	2	inches.
2/7	2/7	2/8	2/9	2/11	3/–	3/2	3/6	3/8	4/–	4/7	5/–	each.

833A Socket Firmer Chisels, Ash Handled, with bright Steel Hoops.

¼	⅜	½	⅝	¾	⅞	1	1⅛	1¼	1½	1¾	2	inches.
1/11	2/–	2/1	2/3	2/5	2/8	2/10	3/–	3/2	3/8	4/3	4/8	each.

835A Bevel-edge Socket Firmer Chisels, Ash Handled, with bright Steel Hoops.

¼	⅜	½	⅝	¾	⅞	1	1⅛	1¼	1½	1¾	2	inches.
2/5	2/5	2/7	2/8	2/10	3/–	3/2	3/6	3/9	4/3	4/10	5/6	each.

845 Bevel-edge Socket Cabinet Chisels, Beech Handled, with Leather Tips.

¼	⅜	½	⅝	¾	⅞	1	1¼	1½	inches.
2/–	2/2	2/3	2/5	2/6	2/9	2/11	3/3	3/8	each.

845A Bevel-edge Socket Cabinet Chisels, Beech Handled, with bright Steel Hoops.

¼	⅜	½	⅝	¾	⅞	1	1¼	1½	inches.
2/–	2/2	2/3	2/5	2/6	2/9	2/11	3/3	3/8	each.

BUTT CHISELS.

875 Bevel-edge Butt Chisels with Leather Tipped Ash Handles.

¼	⅜	½	⅝	¾	⅞	1	1¼	1½	inches.
2/3	2/3	2/3	2/3	2/5	2/7	2/8	3/–	3/3	each.

SASH POCKET AND FLOOR CUTTING CHISELS.

	1½	1¾	2	2¼	2½	ins.
881 Improved Sash Pocket Chisels, Beech Handled	2/5	2/9	3/2	3/6	3/10	each.

882 Solid Steel Floor Cutting Chisels, 2¼ inches..... 1/7 each.

MARPLES TOOLS will dig into the future.

DRAWER LOCK CHISELS.

886 Drawer Lock Chisels..... 1/2 each.

DRAW BORERS.

905 Bright Steel Draw Borers, Tanged, 10×½ inch ..... 1/8 each.
If Handled in Beechwood, 1/11 each; in Boxwood, 2/3 each.

908 Bright Steel Draw Borers, Eyed, 10×½ inch ..... 2/1 each.

TURNING CHISELS AND GOUGES.

960 Turning Chisels, Unhandled.

¼	⅜	½	⅝	¾	⅞	1	1⅛	1¼	1⅜	1½	1¾	2 inches.
–/10	–/11	1/–	1/1	1/4	1/5	1/7	1/10	2/–	2/3	2/7	3/2	3/8 each.

963 Long Strong Turning Chisels, Unhandled.

¼	⅜	½	⅝	¾	⅞	1	1⅛	1¼	1⅜	1½	1¾	2 inches.
1/5	1/6	1/7	1/8	1/10	2/–	2/3	2/8	2/10	3/3	3/9	4/10	5/8 each.

970 Turning Gouges, Unhandled.

¼	⅜	½	⅝	¾	⅞	1	1⅛	1¼	1⅜	1½	1¾	2 inches.
1/1	1/2	1/5	1/6	1/9	1/11	2/3	2/5	2/10	3/3	3/8	4/4	5/3 each.

973 Long Strong Turning Gouges, Unhandled.

¼	⅜	½	⅝	¾	⅞	1	1⅛	1¼	1⅜	1½	1¾	2 inches.
2/1	2/2	2/7	2/10	3/2	3/9	4/–	4/5	4/10	5/6	6/1	6/10	7/6 each.

997 Wood Turners' Parting Tools, Unhandled..... 1/3 each.

PLANE IRONS.



1032



1035

		1½	1¾	2	2⅛	2¼	2⅜	2½	2⅝	2¾	ins.
1032	Single Irons, Cut.....	1/2	1/2	1/5	1/6	1/8	1/10	1/11	2/3	2/5	each.
1035	Double Irons	2/3	2/3	2/7	2/8	2/11	3/2	3/5	3/9	4/–	"



1033

Tooth Plane Irons, Coarse, Medium or Fine.

1½	1¾	2	2⅛	2¼	ins.
1/8	1/8	1/11	2/1	2/3	each.

1031

Round-nose Plane Irons, Uncut.

1¼	1½	1¾	2	ins.
1/2	1/2	1/2	1/5	each.



		1¾	2	2¼	2⅜	2⅝	ins.
1040	Bright Cast Steel Cut Plane Irons, Thin, to suit adjustable Iron Planes.....	1/8	1/11	2/3	2/5	2/6	each.

PARALLEL PLANE IRONS.



		1½	1¾	2	2⅛	2¼	2⅜	2½	ins.
1070	Parallel Plane Irons, Cut.....	1/7	1/7	1/9	1/10	2/–	2/3	2/3	each.

PLOUGH BITS.

1090 Best Bright Plough Bits, all Sizes ⅛ to ⅝ in. ..... 1/6 each.
SETS OF 6 ⅛ to ½ in. ... 8/5 set. SETS OF 8 ⅛ to 9/16 ... 11/3 set.

Be as proud of your tools as you are of your work.

DRAWING KNIVES.



1160 Carpenters' C.S. Drawing Knives.

8	9	10	12	14 ins.
3/11	4/2	4/5	5/3	6/3 each.



1161 London Pattern C.S. Drawing Knives.

8	9	10	12	14 ins.
3/11	4/2	4/5	5/3	6/3 each.



1164 American Pattern Razor Edge Cast Steel Drawing Knives.

8	9	10	12 ins.
4/10	5/–	5/4	5/9 each.



1175 Amateurs' Drawing Knives.

5	6	7 ins.
2/11	3/6	4/– each.

ADZES.



1230



1241

Nos.	1	2	3	
1230 Carpenters' Adzes, Black	4/5	4/8	4/11	each.
1232 Carpenters' Adzes, Best Blued	5/6	5/9	6/–	"
1240 Wheelers' Adzes, Black	4/8	4/11	5/3	"
1241 Wheelers' Adzes, Best Blued	5/6	5/9	6/–	"

Handles, 36 inches, fitted to Adzes, 2/6 each extra.

Good tools mean good work.

MARPLES WRECKING BARS.



4355 Octagon Cast Steel Wrecking Bars, Red with Bright Ends.

12×½	18×⅝	24×¾	30×¾	36×¾	inch.
1/7	2/1	2/8	2/11	3/2	each.

MARPLES Wrecking Bars have been introduced particularly to speed up the stripping of Casing Boards off Concrete. Every point in their design has been standardised after the most careful experiments—angle of leverage, shape of claw, temper of cutting edge and toughness of steel are all adjusted to one end—maximum results with minimum effort. The largest sizes will draw a 6 inch nail in oak at one pull. The smallest size makes an efficient Case opener and Nail-drawer for household use.

HANDLED AXES.



1280 Best Steel Polled Kent Axes, Bent Handled.

1½	1¾	2	2½	3	3½	4	4½	5	lbs.
4/2	4/5	4/8	5/3	6/–	6/11	7/9	8/9	9/11	each.

1279 "HIBERNIA" Kent Axes, Bent Handled.

1½	1¾	2	2½	3	lbs.
3/7	3/10	4/1	4/8	5/6	each.

1321 American Pattern Wedge Hatchets, with Polished Fawnsfoot Handles.

No.	0	1	2	
	3/10	4/2	4/5	each.

MARPLES TOOLS are guaranteed.

BRACES.



		8	9	10	12	inch sweep.
1440	Bright Ratchet Braces, with Beechwood Head and Handle	8/2	8/8	8/11	10/3	each.
1440A	"Special"	—	—	7/7	—	"



		.5	7	8	10	12	14	inch sweep.
1446	Nickelled Ratchet Braces, Ball-Bearing Head, Alligator Jaws.	12/7	12/7	12/7	13/2	14/9	15/9	each.

1447A Special Nickelled Ratchet Brace, Ball Bearings, Metal Clad Head, Barrel Cap, 10 inch sweep..... 10/– each.



		8	10	12	14	inch sweep.
1452	Best Nickelled Ratchet Braces, Ball-Bearing Head, Barrel Cap, Alligator Jaws.	13/11	14/9	16/3	17/4	each.



1491 Thumbscrew Braces, Bright Steel, Wood Head and Handle, 9 inch sweep ..... 2/11 each.

The right tool for the right job.

BRACES.



		5	7	8	9	10	inch sweep.
1475	Bright Plain Braces, Wood Head and Handle, Hexagon Cap.....	3/8	3/8	3/8	3/11	4/3	each.



1480

Better Quality Plain Braces, with Ball-Bearing Head and Alligator Jaws.

		5	7	8	10	12	14	inch sweep.
1480	Bright, Hexagon Cap	4/9	4/9	4/9	5/6	6/3	7/1	each.
1482	Nickelled, but with Barrel Cap.....	5/9	5/9	5/9	6/7	7/4	8/2	,,

BIT HOLDERS.

1496



1497

		10	12	14	16	18	20	24	ins.
1496	With Chuck	3/2	3/5	3/8	4/3	4/6	4/9	5/3	each.
1497	With Thumbscrew Socket	2/4	2/8	2/11	3/5	3/8	3/11	4/5	,,

BRACE JAWS.

1498	Brace Jaws, plain, with spring.....	1/4 pair.
1500	Ditto Alligator-Pattern, with spring.....	1/7 ,,



1500

BRACE BITS.

1520 Black Centre Bits.

$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{11}{16}$	$\frac{3}{4}$	$\frac{13}{16}$	$\frac{7}{8}$	ins.
-/6	-/6	-/6	-/6	-/6	-/7	-/7	-/7	-/7	-/8	-/8	-/8	-/8	each.
$\frac{15}{16}$	1	$1\frac{1}{16}$	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	2	$2\frac{1}{8}$		ins.
-/10	-/10	1/-	1/-	1/1	1/3	1/4	1/6	1/8	1/10	2/1	2/7		each.
$2\frac{1}{4}$	$2\frac{3}{8}$	$2\frac{1}{2}$	$2\frac{5}{8}$	$2\frac{3}{4}$	$2\frac{7}{8}$	3	$3\frac{1}{8}$	$3\frac{1}{4}$	$3\frac{3}{8}$	$3\frac{1}{2}$			ins.

1520A Large Black Centre Bits, with two Nickers 3/5 3/10 4/4 4/11 5/6 6/1 6/10 7/7 8/5 9/2 10/- each.

1524 Bright New Pattern Screw Centre Bits.

$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{11}{16}$	$\frac{3}{4}$	$\frac{13}{16}$	ins.
-/10	-/11	-/11	-/11	-/11	1/-	1/-	1/1	1/1	1/2	each.
$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	2	ins.
1/2	1/3	1/4	1/6	1/9	1/10	2/-	2/4	2/11	3/2	each.

$\frac{1}{16}$	$\frac{3}{32}$	$\frac{1}{8}$	$\frac{5}{32}$	$\frac{3}{16}$	$\frac{7}{32}$	$\frac{1}{4}$	$\frac{9}{32}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	ins.

1527 Black Shell Bits..... -/10 -/10 -/6 -/6 -/6 -/6 -/6 -/7 -/7 -/9 -/10 each.

$\frac{1}{16}$	$\frac{3}{32}$	$\frac{1}{8}$	$\frac{5}{32}$	$\frac{3}{16}$	$\frac{7}{32}$	$\frac{1}{4}$	$\frac{9}{32}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	ins.

1530 Black Spoon Bits..... -/11 -/11 -/7 -/7 -/7 -/7 -/7 -/9 -/9 -/10 -/11 each.

$\frac{1}{8}$	$\frac{5}{32}$	$\frac{3}{16}$	$\frac{7}{32}$	$\frac{1}{4}$	$\frac{9}{32}$	$\frac{5}{16}$	$\frac{11}{32}$	$\frac{3}{8}$	ins.

1548 Bright Shell Gimlet Bits..... -/10 -/11 -/11 1/- 1/1 1/3 1/4 1/5 1/6 each.

$\frac{1}{8}$	$\frac{5}{32}$	$\frac{3}{16}$	$\frac{7}{32}$	$\frac{1}{4}$	$\frac{9}{32}$	$\frac{5}{16}$	$\frac{11}{32}$	$\frac{3}{8}$	ins.

1550 Bright Twist Gimlet Bits..... -/10 -/11 -/11 1/- 1/1 1/3 1/4 1/5 1/6 each.

A good tool is cheapest in the end.

BRACE BITS.

		$\frac{1}{16}$	$\frac{3}{32}$	$\frac{1}{8}$	$\frac{5}{32}$	$\frac{3}{16}$	$\frac{7}{32}$	$\frac{1}{4}$	$\frac{9}{32}$	$\frac{5}{16}$	$\frac{3}{8}$ ins.
1602	Bright Swiss Pattern Bits	-/5	-/5	-/5	-/5	-/5	-/5	-/5	-/6	-/7	-/9 each.

		$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1 ins.
1590	Black Flat Countersink Bits.....	-/7	-/7	-/9	1/-	1/6	1/10 each.

		$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1 ins.
1593	Black Snail Countersink Bits.....	-/8	-/8	-/10	1/3	1/9	2/1 each.

		$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1 ins.
1596	Black Rose Countersink Bits.....	-/8	-/8	1/-	1/5	1/11	2/3 each.

1599 Broughton's Patent Countersinks for Shell or Spoon Bits.

$\frac{1}{8}$	$\frac{5}{32}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$ ins.
2/1	2/1	2/4	2/8	3/2	3/8	4/3	4/9 each.

1588 Bright Rose Countersink, $\frac{3}{8}$" with round shank, $\frac{3}{16}$" diameter for use in Hand Drills, etc. ..... -/8 each.

1526 Expansive Bit with 2 Cutters—
Small—Boring $\frac{1}{2}$ to $1\frac{1}{2}$ ins. **6/7** each. Large—Boring $\frac{7}{8}$ to 3 ins. **9/6** each.

		$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$ ins.
1609	Black Taper Bits.....	1/6	1/8	1/11	2/2	2/8	3/4 each.

Good tools make your work easier.

BRACE BITS.

1606 Black Square Rimer Bits, $\frac{3}{8}$ inch..... -/7 each.

1607 Black Octagon Rimer Bits, $\frac{3}{8}$ inch..... -/11 each.

1608 Black Half-round Rimer Bits, $\frac{1}{2}$ inch..... -/7 each.



1612 Boxwood Handled Square Rimers, $\frac{3}{8}$ in..... 1/6 each.
1612½ Ditto ditto $\frac{1}{4}$ in..... 1/1 ,,

1613 Boxwood Handled Taper Bits or Belt Rimers, $\frac{5}{8}$ in..... 2/3 each.
1614 Straight Beech Handled Pocket Rimers ..... -/10 ,,

Width of Point ...	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1 ins.
1615 Black Flat Blade Turnscrew Bits	-/6	-/6	-/7	-/8	1/-	1/2	1/4 each.

Width of Point ...	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{1}{2}$ ins.
Bright Round Blade.				
1616 Turnscrew Bits, Length Overall, 4 inches	-/7	-/7	-/7	-/8 each.
1616½ Ditto ditto 6 inches	-/8	-/8	-/8	-/9 ,,

Width of Point ...	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1 ins.
1618 Black Fork Turnscrew Bits.....	-/7	-/7	-/8	-/11	1/1	1/4	1/6 each.

British tools are reliable.

DOWEL TRIMMERS and ROUNDERS.

1636 Bright Forged Steel Dowel Trimmers, $\frac{9}{16}$ inch..... 2/3 each.

1637 Bright Forged Steel Dowel Rounders, $\frac{3}{8}$, $\frac{7}{16}$ or $\frac{1}{2}$ inch..... 2/3 each.

TWO WING CENTRE BITS.

	Boring Size ...	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{3}{4}$	inch.
	Full length ...	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	6	$6\frac{1}{2}$	7	inches.
1640	Straight Shanks ...	1/7	2/1	2/4	2/11	3/8	4/9	5/9	6/10	7/10	11/–	each.
1641	$\frac{1}{4}$ inch Diam. ,, ...	2/7	3/2	3/5	3/11	4/9	5/3	5/9	6/10	7/10	11/–	,,
1642	$\frac{5}{16}$ inch Diam. ,, ...	4/2	4/2	4/2	4/9	5/6	6/–	6/3	7/4	7/10	11/–	,,

THREE WING SLOT BORING BITS.

	Boring Size ...	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	inch.
	Full length ...	3	$3\frac{1}{2}$	4	4	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	6	$6\frac{1}{2}$	inches.
1645	Straight Shanks ...	2/8	3/2	3/8	4/6	5/3	7/1	9/2	11/–	13/2	15/9	each.
1646	$\frac{1}{4}$ inch Diam. ,, ...	3/11	4/9	5/3	6/–	6/4	7/1	9/2	11/–	13/2	15/9	,,
1647	$\frac{5}{16}$ inch Diam. ,, ...	—	—	7/4	7/10	8/2	8/11	9/2	11/–	13/2	15/9	,,

DOWEL PLATES.

1649 Cast Steel Dowel Plates, Black Finish, Rimered Holes.

$\frac{3}{8}$	$\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$	$\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{1}{2}$	$\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{7}{16}$ $\frac{1}{2}$	$\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{7}{16}$ $\frac{1}{2}$ $\frac{5}{8}$	inch.
1/1	1/11	2/4	2/10	3/8	each.

BIT ROLLS.

1623 Bit Rolls to hold set of 36 assorted Brace Bits.
Leather 9/– each. Canvas 5/9 each.

MARPLES TOOLS are a cut above the others.

CARPENTERS' SHELL AUGERS.

1651

		To	½	⅝	¾	⅞	1	1⅛	1¼	1⅜	1½ inches.
1650	Carpenters' Shell Augers, Tanged		1/7	1/10	2/4	2/7	2/11	3/2	3/11	4/2	5/3 each.
1651	Ditto ditto Eyed		2/–	2/3	2/10	3/2	3/5	3/8	4/6	5/–	5/11 ,,
1654	Taper Shell, or Ladder Augers, Tanged		—	—	—	4/3	4/10	5/6	6/1	6/10	7/10 ,,
1655	Ditto ditto Eyed		—	—	—	4/10	5/4	6/–	6/8	7/7	8/8 ,,

CARPENTERS' SCREW AUGERS.

1660

		To	½	⅝	¾	⅞	1	1⅛	1¼	1⅜	1½ inches.
1660	Carpenters' Black Screw Augers, Tanged		1/6	1/7	1/10	2/1	2/4	2/7	2/11	3/3	3/9 each.
1661	Ditto ditto Eyed		1/10	2/–	2/3	2/7	2/11	3/2	3/5	4/–	4/6 ,,

1665

		To	½	⅝	¾	⅞	1	1⅛	1¼	1⅜	1½	1⅝	1¾	1⅞	2 inches.
1664	Bright Scotch Screw Augers, Tanged	...	1/8	1/11	2/4	2/7	2/11	3/4	3/9	4/3	5/–	5/6	6/2	6/7	7/3 each.
1665	Ditto ditto Eyed	...	2/1	2/4	2/10	3/2	3/5	3/11	4/4	5/1	5/9	6/3	7/1	7/7	8/11 ,,

N.B.—The Blades and Shanks of these Augers are made from Solid Steel, without weld, in all sizes up to 1 inch.

MACHINE AUGERS.

1686

Machine Screw Augers, Bright, with turned Tang, $\frac{1}{2}$, $\frac{5}{8}$ or $\frac{3}{4}$ inch diameter.

	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	2	inches.
Approx. Length of Twist..	6	6	6	6	6	$6\frac{1}{4}$	$6\frac{1}{2}$	7	$7\frac{1}{4}$	$7\frac{1}{2}$	$7\frac{3}{4}$	8	8	8	8	8	8	"
1686 Scotch Pattern ...	**4/9**	**4/9**	**4/9**	**4/9**	**4/9**	**5/6**	**6/3**	**7/4**	**8/5**	**10/6**	**11/6**	**12/7**	**13/8**	**14/8**	**15/9**	**17/10**	**18/11**	each.
1687 Gedge's Pattern...	**5/3**	**5/3**	**5/3**	**5/3**	**5/3**	**6/3**	**7/4**	**8/5**	**9/6**	**11/6**	**12/7**	**13/8**	**14/9**	**16/3**	**17/4**	**20/-**	**21/-**	"
1688 Jennings' Pattern...	**5/3**	**5/3**	**5/3**	**5/3**	**5/3**	**6/3**	**7/4**	**8/5**	**9/6**	**11/6**	**12/7**	**13/8**	**14/9**	**16/3**	**17/4**	**20/-**	**21/-**	"

1694 Machine Shell Augers, Parrot Nose, for boring wood rollers, etc., the end way of the grain—

	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$ inches.
Length of Shell	7	8	10	10	10	10	12	12	12 inches.
Length Overall	14	14	18	18	18	18	21	21	21 "
	7/10	**9/6**	**12/7**	**15/9**	**18/11**	**23/8**	**28/4**	**33/-**	**37/9** each.

MACHINE DOWEL BITS.

1716

Machine Dowel Bits, 3in. twist, 2in. × $\frac{3}{8}$in. or $\frac{1}{2}$in. turned round shank.

	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$ inch.
1716 Jennings' Pattern	**4/9**	**4/9**	**4/9**	**4/9**	**4/9**	**5/2**	**5/2** each.

SCREW AUGER BITS.

1700 Scotch Pattern Screw Auger Bits.

3/16	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2	inches.
2/4	1/9	1/9	1/9	1/9	1/9	1/11	2/1	2/4	2/7	2/11	3/5	3/10	4/2	4/9	each.

1701 Gedge's Pattern Screw Auger Bits.

3/16	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2	inches.
2/4	1/9	1/9	1/9	1/9	1/9	1/11	2/1	2/4	2/7	2/11	3/5	3/10	4/2	4/9	each.

1702 Jennings' Pattern Screw Auger Bits.

3/16	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2	inches.
2/7	2/–	2/–	2/–	2/–	2/–	2/2	2/4	2/7	2/11	3/5	3/11	4/9	5/9	6/3	each.

1705 Solid Wing-Pattern Screw Auger Bits.

3/16	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2	inches.
2/4	1/9	1/9	1/9	1/9	1/9	1/11	2/1	2/4	2/7	2/11	3/5	3/10	4/2	4/9	each.

1706 Solid Centre Auger Bits.

3/16	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2	inches.
1/5	1/3	1/3	1/3	1/5	1/7	1/10	1/11	2/2	2/8	2/11	3/5	3/11	4/5	4/9	each.

1709 Cloth-lined Canvas Rolls, to hold set of 13 Auger Bits 1/4 to 1 inch, 3/3 each.

DOWEL BITS.

1712

	Short Dowel Bits for Brace.	1/4	5/16	3/8	7/16	1/2	9/16	5/8	inch.
1711	Gedge's Pattern	1/9	1/9	1/9	1/9	1/9	1/11	2/1	each.
1712	Jennings' Pattern	2/–	2/–	2/–	2/–	2/–	2/2	2/4	,,
1713	Solid Wing Pattern	1/9	1/9	1/9	1/9	1/9	1/11	2/1	,,

GIMLETS.

1752 Square Tang Shell Gimlets, Boxwood Head, $\frac{1}{8}$ to $\frac{1}{4}$ inch **–/5** each.



1762 Square Tang Twist Gimlets, Boxwood Head, $\frac{1}{8}$ to $\frac{1}{4}$ inch, **–/5** each.



	$\frac{3}{32}$	$\frac{1}{8}$	$\frac{5}{32}$	$\frac{3}{16}$		$\frac{7}{32}$	$\frac{1}{4}$		inch.
	0	1	2	3	4	5	6	7	
1768 All-Steel Gimlets	–/6	–/5	–/6	–/6	–/7	–/8	–/9	–/10	each.
						$\frac{1}{8}$ to $\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	inch.
1770 Wire Handled Twist Gimlets.....						–/5	–/10	1/–	each.



Spout, Gutter or Cabinet Twist Gimlets, Boxwood Head.	$\frac{3}{16}$	$\frac{7}{32}$	$\frac{1}{4}$	$\frac{5}{16}$	inch.
1782 9 inches long.....	–/8	–/10	1/–	1/4	each.
1782½ 12 inches long.....	–/10	–/11	1/1	1/6	"



Bellhangers' Long Shell Gimlets, Boxwood Head.

Length	12	18	24	30	36	inches.
1806 Boring Size, $\frac{1}{4}$ inch	1/2	1/4	1/5	1/7	1/9	each.
1807 Ditto $\frac{5}{16}$ inch	1/4	1/5	1/7	1/8	1/10	"
1808 Ditto $\frac{3}{8}$ inch	1/4	1/5	1/7	2/–	2/1	"

Be as proud of your tools as you are of your work.

BRAD AWL BLADES.

6 5 4 3 2 1

1821 Sizes of Points.

Brad Awl Blades, assorted **1/6** dozen.

3 2 1

1825 Sizes of Points.

Fine Sprig Awl Blades, assorted **1/4** dozen.

HANDLED BRAD AWLS.

1826 Best Round Beech or Ash Handled..... **-/4** each.
1829 Best Oval Beech Handled..... **-/5** ,,
1834 Best Round Boxwood Handled..... **-/7** ,,



1834½ Best "Peg-Top" Boxwood Handled..... **-/7** each.
Handled Brad Awls can be supplied "Through-pinned" at **-/1** each extra.

1836 Best Round Ash Handled "Fast Tang" Brad Awls..... **-/4** each.



3935½ Garnish Awl Blades, Box Handled..... **-/9** each.

Good tools mean good work.

HANDLED FLOORING AWLS.

1840 Flooring Awls, assorted 2¼ to 3 inches (7 to 5 W.G.), Best Round Beech Handled ..... **-/6** each.

AWL AND TOOL PADS.



1860 Solid Awl Pads, Beech Handled, with Taper Socket.

	6	8	12	Awls in Case.
1861 As above, with Wing Nut	**2/1**	**2/4**	**2/11**	each.
	2/8	**2/11**	**3/5**	"



1863 Best Hollow Beech Pad, Wing Nut, 6 Tools..... **2/8** each.
1864 As above, but in Boxwood, with 8 Tools..... **3/8** "



1870

1870 Best Improved Hollow Boxwood Tool Pads, with Wing Nut.

8	10	12	15	Tools.
4/9	**5/3**	**5/9**	**8/5**	each.

1873 Best Hollow Rosewood Motor Tool Pads, with 8 large Cast Steel Tools **8/5** each.

MARPLES TOOLS are guaranteed.

MARKING AWLS AND STRIKING KNIVES.

1875 Small Bright Steel Marking Awls, Knife End..... **–/3** each.

1875½ Knurled Marking Awls, Knife End..... **–/7** each.

1876 Beech Handled Shouldered Marking Awls.
Assorted, 5, 5½, 6 inch Blades..... **–/8** each.

1877 Bright Steel Striking Knives..... **–/7** each.

1878 Beech Scale Handled Striking Knives..... **1/2** each.

1879 Rosewood Handled Striking Knives ..... **1/–** each.

JOINERS' DOGS.

1897 Stamped Joiners' Dogs, or Joint Cramps.

1½	2	2½	3	3½	inches.
1/10	**1/10**	**2/1**	**2/4**	**2/8**	dozen.

1898 Strong Forged Steel Joiners' Dogs.

2	2½	3	3½	4	inches.
5/–	**5/3**	**5/6**	**5/9**	**6/3**	dozen.

The right tool for the right job.

CABINET SCRAPERS.

Length	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	6	inch.
Width	2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{1}{2}$	$2\frac{1}{2}$	"
1885 Scraper Blades	-/5	-/6	-/7	-/7	-/9	each.



No. 1.



No. 2.



No. 3.

Nos.	1	2	3	
1888 Shaped Scraper Blades	-/10	-/11	1/1	each.
1894 Handled Scraper Steels			-/10	"



MARPLES HANDLED SCRAPERS.

For Freeing Sticking Doors and Windows.
For removing Paint, Varnish, etc., from Wood and Metal.

For finishing and Smoothing Work of all kinds.

Renewable Spring Steel Blades.

Each Blade has Two Scraping Edges.

No. 1890 Double Blade...Price **2/8** each.
Extra Blades **-/6** each.

No. 1893 Single Blade...Price **1/7** each.
Extra Blades **-/4** each.

No. 1890



No. 1893

TURNSCREWS.

London-Pattern Turnscrews, Beech Handle, Brass Hoop.

	Length of Blade	3	4	5	6	7	8	9	10	12	inches.
1950	Strong	-/11	1/1	1/4	1/7	1/10	2/3	2/8	3/-	3/9	each.
1950B	Lighter Pattern...	-/9	-/11	1/1	1/4	1/7	1/10	2/1	2/6	3/2	,,

1960 Cabinet Turnscrews, Flat Beech Handle, Brass Hoop.

Length of Blade	3	4	5	6	7	8	9	10	12	inches.
	1/-	1/1	1/3	1/6	1/9	2/1	2/6	2/10	3/6	each.

Cabinet Turnscrews, Worked-oval Handle, Brass Hoop.

	Length of Blade	3	4	5	6	7	8	9	10	12	inches.
1961	Beech Handle ...	1/5	1/6	1/8	1/11	2/2	2/8	3/-	3/5	4/3	each.
1963	Boxwood ,, ...	1/9	1/10	2/1	2/4	2/8	3/2	3/6	3/11	4/9	,,

Cabinet Turnscrews, Turned-oval Handle, Steel Ferrule.

Length of Blade	1½	2	2½	3	4	5	6	7	8	9	10	12	ins.
1967 Beech	-/7	-/7	-/7	-/7	-/8	-/10	-/11	1/2	1/4	1/5	1/9	2/-	ea.
1968 Boxwood	-/11	-/11	-/11	-/11	1/-	1/2	1/5	1/8	2/-	2/3	2/8	2/11	,,
1966 Rosewood and **Chrome-Vanadium** Steel Blades ...	-/11	1/-	1/4	1/7	1/10	2/1	2/6	2/11	3/2	,,			

1974½ Round-blade Turnscrews, Black Fluted Handle, Through-pinned Blade, Steel Ferrule.

Length of Blade	3	4	5	6	8	10	12	inches.
	-/11	-/11	-/11	1/-	1/2	1/4	1/6	each.

1975 New Round-blade Turnscrews, Through Tanged and Capped. Pinned Blade Solid Through Handle. Finished Green—

3	4	5	6	8	10	12	inches.
1/4	1/6	1/7	1/10	2/1	2/4	2/8	each.

A good tool is cheapest in the end.

TURNSCREWS.

1984 Electricians' Round-blade Turnscrews, Octagon Boxwood Handle.

Length of Blade	1½	2	2½	3	4	5	6	8	10	inches.
	-/10	-/10	-/10	-/10	-/10	-/11	1/-	1/1	1/2	each.

1985 Electricians' Round-blade Turnscrews, $\frac{3}{16}$ in. diam., Black Fluted Hardwood Handle, Steel Ferrule.

Length of Blade	1½	2	2½	3	4	5	6	8	10	inches.
	-/10	-/10	-/10	-/10	-/10	-/10½	-/10½	1/1	1/3	each.

1988 Electricians' **Insulated** Turnscrews (assorted colours).

Length of Blade	4	5	6	8	inches.
	1/7	1/7	1/7	1/7	each.

	2	3	4	5	6	7	8	10	inches.
1991 New Ratchet Screwdriver.....	2/3	2/4	2/5	2/6	2/7	2/9	3/2	3/8	each.

1995 Short Strong Motor Turnscrews,

1½	2	2½	3	inches.
1/9	1/9	1/10	1/10	each.

1996 Short strong Cabinet Blade Motor Turnscrews, Boxwood Crutch Handle.

Length of Blade	1½	2	2½	3	inches.
	2/1	2/1	2/2	2/3	each.

Midget Cabinet Turnscrews, Short Handle, assrtd. 1-1¼-1½ inch Blades.

2010 Hardwood Handle ..... -/8 each.
2010B Beech Handle ..... -/7 ,,

Midget Cabinet Turnscrews, Long Handle, 1½ inch Blade.

2012 Hardwood Handle ... -/8 each.
2012B Beech Handle ..... -/7 ,,

2015 Insulated Pocket Turnscrews, 2¾" Blade, Round Black Handle -/6 each.

2016 Insulated Pocket Turnscrews, 2¾" Blade, Coloured Hexagon Handle ..... -/6 each.

Good tools make your work easier.

MARKING GAUGES.



2040 Beechwood, Square Unpolished Head, Brassed Thumbscrew, Rule-Marked Stem ..... **-/9** each.



2050 Beechwood, Square Polished Head, Boxwood Thumbscrew..... **1/1** each.



2052 Beechwood, Half-Round Polished Head, Boxwood Thumbscrew,..... **1/2** each.
2053 As above, with Brass-Plated Head..... **1/7** "
2055 As 2052 but **Rosewood**..... **1/7** "

CUTTING GAUGES.



2080 Beechwood, Square Polished Head, Boxwood Thumbscrew..... **1/4** each.



2082 Beechwood, Half-Round Polished Head, Boxwood Thumbscrew..... **1/5** each.
2083 As above, with Brass-Plated Head..... **1/10** each.

British tools are reliable.

MORTISE GAUGES.



2116 Best Rosewood, Pull Slide, Plain Head with Brass Shield..... 3/8 each.
2153 Rosewood, Pull Slide, Plain Head ..... 2/4 ,,



2154 Rosewood, Thumbscrew Slide, Brass Plated Head..... 4/9 each.



2120 Best Rosewood, Thumbscrew Slide, Brass-Plated Head ..... 6/3 each.
2120E Best Ebony ditto ditto ditto ..... 7/4 ,,



2123 Best Rosewood, Thumbscrew Slide, Plain Oval Head..... 7/1 each.
2123E Best Ebony ditto ditto ditto ..... 7/10 ,,



2140 Best Ebony, Round Brass Stem, Thumbscrew Slide, Brass-Faced Oval Head ..... 11/- each.

MARPLES TOOLS are a cut above the others.

JOINERS' SQUARES AND BEVELS.



2200 Best Rosewood Try Squares, Brass-Plated Stocks and Brass Diamonds.

3	4½	6	7½	9	10½	12	15	18	ins.
2/7	**2/11**	**3/4**	**3/11**	**4/9**	**5/6**	**6/4**	**8/5**	**10/6**	each.



2202 Best Ebony Try Squares, Brass-Plated Stocks and Brass Shields.

3	4½	6	7½	9	10½	12	15	18	ins.
3/2	**3/7**	**3/11**	**4/9**	**5/9**	**6/7**	**7/10**	**10/6**	**12/7**	each.



2203 Rosewood Try Squares, with Brass-Plated Stock and Blued Steel Blade, Rule-marked both sides, inches and 8ths.

4½	6	9	12	ins.
2/4	**2/11**	**3/5**	**4/9**	each.

2210 Rosewood Mitre Squares, Brass Diamonds.

8	10	12	inches.
5/3	**6/–**	**6/10**	each.





Best Sliding Bevels.

		7½	9	10½	12	inches.
2220	Rosewood	**4/4**	**4/9**	**5/3**	**6/–**	each.
2221	Ebony ...	**4/9**	**5/2**	**5/8**	**6/6**	,,



2226 Rosewood Sliding Bevels, Brass Plated, with special Brass Lever Locking Nut for quick action adjustment.

7½	9	10½	12	inches.
2/11	**3/1**	**3/2**	**3/4**	each.

Ask your dealer's advice.

STEEL SQUARES.



4260 Bright Steel Squares, rule-marked on one side, Inches in 8ths.

18×12	24×12 inches.
3/2	3/8 each.

4261 Bright Steel Squares rule-marked both sides, Inches in 8ths.

18×12	24×12	24×18	30×18	36×24	48×24 inches.
3/5	4/2	6/7	11/–	15/9	20/6 each.

		18×12	24×12	24×18	30×18 ins.	
4262	Galvanized Steel Squares, rule-marked both sides, Inches in 8ths	3/11	4/9	7/10	—	each.
4263	Bright Steel Squares, rule-marked both sides, Inches in 8ths.....	8/5	9/5	12/7	—	,,
4264	Bright Steel Squares, rule-marked on four edges, Inches in 8ths, 12ths and 16ths	—	15/9	18/11	23/8	,,

PLUMB BOARDS AND PLUMB BOBS.

		4	4½	5 feet.
4276	Wood Plumb Boards, with Plumb-bob Hole.....	3/8	3/11	4/3 each.

4280 Lead Plumb Bobs.

1	1¼	1½	1¾	2	2¼	2½	2¾	3 lbs.
1/4	1/7	1/10	2/3	2/6	2/10	3/1	3/4	3/7 each.

CHALK LINES.

7746	Soft Cotton Chalk Lines 60 feet.....	–/5 each.
7747	Hard Cotton Chalk Lines, 60 feet.....	–/5 ,,
7750	Hemp Chalk Lines, 60 feet.....	–/6 ,,

MARPLES TOOLS will dig into the future.

"SHOCKPROOF" SPIRIT LEVELS.



		4	6	8	9	10	12	inches.
2270	Narrow Mahogany, fitted with "Shockproof" Tube	1/1	1/4	1/7	1/11	2/2	2/5	each.
2271	Narrow Mahogany, Brass Tipped, fitted with "Shockproof" Tube...	—	1/10	2/–	2/4	2/6	2/11	,,



		6	8	9	10	12	inches.
2273	Ebony, heavy brass plated and tipped, fitted with "Shockproof" Tube	3/3	3/6	3/9	4/–	4/7	each.



2301 Wide Mahogany, with Plumb Tube, heavy Brass Plated and Tipped, fitted with "Shockproof" Tubes

8	9	10	12	14	16	18	inches.
4/10	5/1	5/8	6/4	7/3	8/4	9/5	each.



2317 Mahogany "Boatshape," with Plumb Tube, Brass Tipped, and fitted with "Shockproof" Tubes—

6	8	9	10	12	inches.
2/8	2/11	3/3	3/6	3/9	each.



2327 Narrow Boxwood, with Plumb Tube, Rule marked $\frac{1}{8}$ths, and fitted with "Shockproof" Tubes—

6	8	9	10	12	inches.
2/1	2/4	2/5	2/8	3/2	each.

"SHOCKPROOF" SPIRIT LEVELS (continued).

No. 2336H "Handy-Hold."

Narrow Level with 1 or 2 Plumbs, $\frac{15}{16}$ inches wide × $2\frac{3}{4}$ inches deep, made of specially treated Mahogany, with Brass face plate. Ends protected by heavy brass plates rebated into the wood.

	Length	24	30	36	42	48	inches
2335	Single Plumb.....	**8/7**	**9/2**	**9/8**	**10/9**	**12/4**	each
2336	Double Plumb	**9/8**	**10/6**	**11/3**	**11/10**	**13/5**	,,
2336H	As above with Hand Holes	—	**10/6**	**11/3**	**11/10**	**13/5**	,,



2337

Narrow Level with Plumb, $\frac{7}{8}$ inches wide × $2\frac{3}{4}$ inches deep, made of specially treated Mahogany, with Brass face plate, fitted with patent "Shockproof" Tubes. The ends are not tipped.

		Length	24	30	36	inches.
2337	Single Plumb		**5/4**	**5/11**	**6/5**	each.

No. 2358H "Handy-Hold."

Narrow Level with Double Plumb, $\frac{5}{16}$ inches × $2\frac{3}{4}$ inches. Made from specially treated Mahogany. Each aperture is fitted with two tubes in such a way that no matter how the level is picked up, a reading can be taken. Ends protected by heavy Aluminium plates rebated into the wood. Fitted with patent "Shockproof" Tubes.

	Length	36	42	48	inches.
2358	With Six Tubes.....	**14/-**	**15/-**	**16/8**	each
2358H	,, ,, ,, as above with Hand Holes.....	**14/-**	**15/-**	**16/8**	,,

BEST PROVED SPIRIT LEVEL TUBES.

	1	1¼	1½	1¾	2	2¼	2½	3	3½	4	4½	5	inches.
2341 Divided	**4d.**	**4d.**	**4d.**	**4d.**	**4d.**	**4d.**	**4d.**	**5d.**	**6d.**	**7d.**	**8d.**	**10d.**	each.

"GREEN LINE" SPIRIT LEVEL TUBES.

		1	1¼	1½	1¾	2	2¼	2½	3	3½	4	4½	5	inches.
2342	"Green Line"	**6d.**	**6d.**	**7d.**	**7d.**	**8d.**	**8d.**	**9d.**	**10d.**	**11d.**	**1/-**	**1/2**	**1/4**	each.

These Tubes are strongly recommended as being very superior to any that have hitherto been offered. The colours are enamelled into the glass: they can never fade or lose their original brilliance.

Be as proud of your tools as you are of your work.

SPOKESHAVES.

		1½	1¾	2	2¼	2½	2¾	3	3½	4	inches.
2360	Beechwood	1/11	1/11	1/11	2/–	2/1	2/3	2/4	2/10	3/2	each.
2370	Boxwood	2/8	2/8	2/8	2/10	2/11	3/2	3/5	4/3	4/9	,,

2361 Beechwood Spokeshaves, Brass Plated.

1½	1¾	2	2¼	2½	2¾	3	3½	4	inches.
2/6	**2/6**	**2/6**	**2/7**	**2/8**	**2/10**	**2/11**	**3/8**	**4/3**	each.

2362 Beechwood Spokeshaves, Brass Plated with Screw Adjusting Iron.

1½	1¾	2	2¼	2½	2¾	3	3½	4	inches.
4/9	**4/9**	**4/9**	**5/–**	**5/3**	**5/6**	**5/9**	**6/3**	**7/1**	each.

2375

		4	5	6	7	7½	8	inches.
	Length Overall							
	Width of Cut	1	1	1¼	1½	1¾	2	,,
	Small Boxwood Spokeshaves.							
2375	Round Back and Front	2/9	2/9	2/9	2/9	2/10	2/11	each.

SPOKESHAVE IRONS.



		To	2½	2¾	3	3½	4	inches.
2380	Cast Steel Spokeshave Irons.....		–/8	–/9	–/9	–/10	1/–	each.

TURNING OR BOW SAWS.



2400A

	All sizes up to	10	12	14	16	18	20	22	24	inches.
2400	Twine Strained	6/3	7/4	8/5	9/5	11/–	12/7	14/2	15/9	each.
2403	Twine Strained	3/11	4/9	4/9	6/10	—	—	—	—	"
2400A	With Wire Stretcher	7/4	8/5	9/5	10/11	12/7	14/3	15/9	17/4	"
2410	Best Turning Saw Blades	–/5	–/5	–/6	–/8	–/11	1/1	1/4	1/7	"

SAW PADS AND BLADES.



2419	Beechwood Sawpads	Small	...	1/– each.
2420	Medium Quality Beechwood Sawpads	Small	...	1/2 "
2422	Best Quality Beechwood Sawpads	Small	...	2/1 "
2423	Best Quality Beechwood Sawpads	Large	...	2/4 "
2428	Best Quality Boxwood Sawpads	Large	...	2/11 "

2431 Best Cast Steel Pad Saw Blades, to 12 in., –/6 each. 14 in., –/8 each.



2442	"Lock-Tooth" Iron Pad Keyhole Saws, Small, with 7 inch Blade.....	–/11 each.
2443	As above, Large, with 11 inch Blade.....	1/1 "

BRAD AND NAIL PUNCHES.

1902 Brad Punches, Round Points, assorted sizes..... –/3 each.
1903 Ditto Square Points, ditto ..... –/3 ,,

1908 Round Knurled Brad Punches, Cup Pointed.
Sizes $\frac{1}{16}$, $\frac{3}{32}$, $\frac{1}{8}$, $\frac{5}{32}$, $\frac{3}{16}$ inch..... –/6 each.

1910 Square Head Knurled Brad Punches, Cup Pointed.
Sizes $\frac{1}{16}$, $\frac{3}{32}$, $\frac{1}{8}$, $\frac{5}{32}$, $\frac{3}{16}$ inch ..... –/7 each.
Handy Set of Four in Pocket Carton..... 2/3 set.

1914 Flooring Punches, Round Points, assorted sizes..... –/7 each.
1915 Ditto Square Points, ditto ..... –/7 ,,

SAW SETS.

2471

2470 Hand Saw Sets (Gauges 14 to 20 W.G.), Beech Handled, Plain End 1/7 each.
2471 As above but Turnscrew End..... 1/10 ,,
2476 Hand Saw Sets, with Brass Gauge, Beech Handled..... 2/8 ,,

	4	5	6 gates.
Gauges	11-14	10-14	9-14 W.G.
2484 Pit or Circular Saw Sets, Black.....	2/8	2/11	3/2 each.



2494 Strong Circular Saw Sets, Black, 8 Gates (8 to 15 W.G.), Hardwood Handled ..... 7/4 each.



2498 Morrill's Pattern Saw Sets ..... 4/3 each.

The right tool for the right job.

HAND, PANEL AND RIP SAWS.



		22 in. × 10 pts.	26 in. × 6, 6½ or 7 pts.
2518	Best Mirror-polished Skew Back, Carved English Beech Handle, Polished all over...	11/6	14/2 each.
2515	As above, but **Stainless Steel**	14/2	16/3 "

		18	20	22	24	26	28	inches.
2521	Joiners' Skew Back	8/6	9/-	9/6	10/6	11/-	12/-	each.
2521B	"Hibernia" Skew Back	5/9	6/3	6/10	7/7	7/10	8/8	"



		18	20	22	24	26	28	inches.
2520	Joiners' Straight Back	7/-	7/7	8/5	9/5	10/-	10/6	each.



		16	18	20	22	24	26	28	inches.
2520B	"Shamrock," Straight Back, Warranted Quality	2/8	2/11	3/2	3/5	3/11	4/2	4/9	each.

N.B.—All above Saws are fitted with English Beech Handles, Polished Edges.

You are safe with MARPLES.

FARMERS' HAND SAWS.

For green and wet wood.

Farmers' Hand Saws.	24	26	28	inches.
2523 Best Quality, Lightning Tooth.....	7/1	7/4	7/7	each.
2523A Cheaper Quality, ditto	4/6	4/9	5/–	"

COMPASS AND PRUNING SAWS.



	10	12	14	16	inches.
2594 Best Quality Compass or Keyhole Saws.....	2/8	2/10	2/11	3/2	each.
2594B Cheaper Quality ditto ditto	1/6	1/7	1/9	1/10	"



2595 Nest of Saws with three Blades, viz., Table, Compass & Keyhole 3/5 per nest.

" Lightning " Pruning Saws.	12	14	16	18	20	inches.
2581 Best Quality, Double Edge	4/6	4/9	5/3	6/–	6/10	each.
2581B Cheaper Quality, ditto	3/2	3/5	3/8	4/2	4/6	"
	12	14	16	18	20	inches.
2580 Best Quality, Single Edge Pruning Saws.....	4/3	4/6	4/9	5/3	5/9	each.
2580B Cheaper Quality, ditto ditto	3/–	3/2	3/5	3/8	3/11	"

A good tool is cheapest in the end.

BACK OR TENON SAWS.



	8	10	12	14	16	inches.
2527 Joiners' Heavy Brass Back.....	9/6	9/6	10/6	12/1	13/8	each.
2527A "Special" Brass Back	8/5	8/5	9/6	10/6	12/1	,,
2528 **Stainless Steel** Tenon Saws	—	11/–	13/–	15/3	—	,,

	8	10	12	14	16	inches.
2526 Joiners' Heavy Iron Back.....	7/4	7/4	7/10	8/5	9/6	each.
2526A "Special" Iron Back	6/3	6/3	6/10	7/4	8/5	,,



	8	10	12	14	16	inches.
2526C Cheap Iron Back Saws for Household use	2/8	3/2	3/8	3/11	4/5	each.



2640 Fancy Brass Back Saws, Beech Handled.

Blade	4	5	6	7	8	inches.
	1/1	1/4	1/5	1/7	1/10	each.

HACK SAWS.



2664 Nickel Plated Steel Hacksaw Frames, Pistol Grip, Adjustable for Blades 8 to 12 inches..... 3/2 each.

Hack Saw Blades.	8	9	10	11	12	inches.
2645 "Shamrock" Tungsten Steel.....	1/11	2/2	2/4	2/7	2/10	dozen.
2647 Double Edge, for Brass	—	4/3	4/9	—	5/6	,,

Good tools make your work easier.

CROSS CUT SAWS.

Set and Sharpened.

		3	3½	4	4½	5	5½	6	6½	7	feet
2546	Two-man Saws	12/7	13/5	14/2	16/3	18/11	20/6	23/7	25/9	27/10	each.
2546B	Cheaper Quality	7/10	8/5	9/5	11/–	12/7	14/2	17/4	18/11	20/6	,,
7664	Handles for above Saws (extra).....									1/–	pair.

One Man Cross Cut Saws, complete with Supplementary Handle.

		2½	3	3½	4	4½	5	feet
2548	Best Yankee Pattern.....	11/10	12/7	14/7	15/9	18/1	20/6	each.
2548B	Cheaper Quality	7/10	8/11	10/6	11/3	—	—	,,

2677 Coping Saws, complete with One Dozen Spare Blades.....**1/1** each.

2678 Blades for Coping Saws, Looped Ends .....**7/10** gross.

2679 Blades for Coping Saws, Pinned Ends .....**12/7** gross.



2550 Best Cast Steel Circular Saws. Prices quoted on request.

SAW HANDLES AND SCREWS.

		7671 Hand Saw.	**7672** Tenon Saw.
Best Beech Saw Handles, Slit and Bored.....		**1/4** each.	**1/2** each.
	Nos.	1 ($\frac{7}{16}$ in.) 2 ($\frac{1}{2}$ in.) 3 ($\frac{9}{16}$ in.)	4 ($\frac{13}{16}$ in.) Large.
7677 Best Brass Saw Screws.....		1/11 2/– 2/3	2/6 dozen.

CANVAS SAW BAGS.

Best Waterproof Canvas Saw Cases.

For Hand and Panel Saws, **3/2** each. For Tenon Saws, **2/8** each.

British tools are reliable.

BB Brand Planes.

Fully Guaranteed.

Double Iron Smoothing Planes.

$1\frac{3}{4}$	2	$2\frac{1}{8}$	$2\frac{1}{4}$ ins.
4/6	**4/6**	**4/9**	**5/–** each.

Single Iron Smooth Planes.

$6 \times 1\frac{1}{2}$ ins. ... **2/6** each.



Double Iron Jack Planes.

16×2	$17 \times 2\frac{1}{8}$	$17 \times 2\frac{1}{4}$ ins.
6/6	**6/9**	**7/–** each.



Double Iron Technical Jack Planes.

$14 \times 1\frac{3}{4}$	14×2 ins.
8/–	**8/–** each.



Double Iron Trying Planes.

$22 \times 2\frac{1}{2}$ ins. ... **10/6** each.

MARPLES TOOLS are a cut above the others.

BB Brand Planes.

Fully Guaranteed.



Skew Rabbet Planes.

¾	1	1¼	1½ ins.
3/6	3/6	3/6	3/6 each.



Adjustable Rabbet and Fillister Plane.

With Moving Fence ... **4/6** each.



Fixed Grooving Planes.

With $\frac{3}{16}$ inch Iron ... **3/3** each.



Moving Grooving Planes.

With Adjustable Fence and set of 3 Irons, $\frac{1}{8}$, $\frac{3}{16}$, $\frac{1}{4}$ ins. ... **5/6** each.



Plough Planes (Wedge Stem)

With Screw Stop and Set of 8 Irons $\frac{1}{8}$ to $\frac{9}{16}$ ins.... ... **15/-** each.



Plough Planes (Screw Stem)

With Screw Stop and set of 8 Irons $\frac{1}{8}$ to $\frac{9}{16}$ ins.... ... **17/6** each.

Ask your dealer's advice.

BEST HAND MADE PLANES.

"SHAMROCK BRAND"



Smoothing Planes.

Cast Steel Double Iron Smooth Planes.

2700-2 in.	2701-2⅛ in.	2702-2¼ in.
7/6	8/–	8/6 each.

Smooth Planes with Parallel Iron –/6 each extra.



Compass Planes.

Cast Steel Double Iron Compass Smooth Planes.

2830-2 in.	2831-2⅛ in.	2832-2¼ in.
8/6	9/–	9/6 each.

Toothing Planes.

2840 Toothing Planes, 2 in., Coarse, Medium or Fine ..... 6/6 each.

2841 Toothing Plane, 2 in. with two Irons, assorted Teeth ..... 9/– each.

Jack Planes.



Cast Steel Double Iron Jack Planes, 14 ins. to 17 ins. long.

2760-2 in.	2761-2⅛ in.	2762-2¼ in.	2764-2½ in.
9/6	10/–	10/6	13/– each.

Jack Planes, with Parallel Iron..... –/6 each extra.

3165 Best Beech Plane Handles for Jack Planes..... –/10 each.

MARPLES TOOLS will dig into the future.

BEST HAND MADE PLANES.

"SHAMROCK BRAND"

Technical Jack Planes.

With Sunk Handle and Boxwood Striking Nub.



2790 Cast Steel Double Iron Technical Jack Planes, 1¾ in..... **12/6** each.
2791 Ditto ditto ditto 2 in..... **12/6** "
Above Planes can be supplied either 14 or 15 inches in length.

Trying Planes



2794 Cast Steel Double Iron Trying Planes, 2½ in. × 22 in. long ..... **13/6** each.
2795 Ditto ditto ditto 2½ in. × 24 in. long ..... **14/-** "
Try Planes, with Parallel Iron..... **-/6** each extra.
3169 Best Beech Plane Handles for Trying Planes..... **1/3** each.

RABBET PLANES.



2875 Square Rabbet Planes.
Sizes to 1¼ 1½ 1¾ 2 inches.
5/- 6/- 7/- 8/- each.

2876 Skew Rabbet Planes.
Sizes to 1¼ 1½ 1¾ 2 inches.
5/- 6/- 7/- 8/- each.

BEST HAND MADE PLANES.

" SHAMROCK BRAND "

Greenhouse Rabbet Planes.



		$\frac{1}{2}$	$\frac{5}{8}$ inch.
2917	Greenhouse Rabbet Planes.....	**5/-**	**5/-** each.

Old Woman's Tooth Planes.



2861 Old Woman's Tooth Planes, Router Pattern, with $\frac{5}{8}$" Iron... **6/6** each.

Stop Chamfer Planes.



2892 Stop Chamfer Planes, with Fence... **13/6** each.



Dado Grooving Planes.

2940 Dado Grooving or Trenching Planes, all sizes to 1 inch, Wood Stop, **12/-** each.

2941 As above, with Brass Screw Stop, **15/-** each.

Be as proud of your tools as you are of your work.

BEST HAND MADE PLANES.

"SHAMROCK BRAND"

Tongueing and Grooving Planes.





	For Deals	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1 inch.
2944	Match Grooving Planes.....	**15/–**	**15/–**	**15/–**	**15/–**	**15/–**	**15/–**	**15/–** pair.

Every $\frac{1}{8}$ inch above 1 inch, 1/– per pair extra.

Hollows and Rounds.



2950 (Hollow)



2950 (Round)



Hollow and Round Curves.

2950 Hollows and Rounds, Square Mouth, to $1\frac{1}{8}$ inch (No. 15) ..... **10/6 pair.**

2951 Hollows and Rounds, Skew Mouth, to $1\frac{1}{8}$ inch (No. 15) ..... **12/–** pair.

Every $\frac{1}{8}$ inch above $1\frac{1}{8}$ inch, **–/8** per pair extra.

Good tools mean good work.

BEST HAND MADE PLANES.

"SHAMROCK BRAND"

Plough Planes.



Plough Planes, Screw Stop, 8 Irons.

2903 As illustrated ..... **39/-** each.

2905 As above, but with capped Stems ..... **42/-** ,,



2907

2907 Best Plough Planes, Improved Stop, 8 Irons ..... **48/-** each.

2909 As above, with Beechwood Screw Stems ..... **54/-** each.

2911 Ditto with Boxwood Screw Stems ..... **60/- each.**



2910 Best Solid Handled Plough Planes, Improved Stop, Skate Front, 8 Irons, with Beechwood Screw Stems ..... **63/-** each.

2912 As above, with Boxwood Screw Stems ..... **69/-** each.

Moving or Side Fillister Planes.



2922 Moving Fillister Planes, with Brass Slip Stop and Tooth.... **18/-** each.

2923 Moving Fillister Planes, with Brass Screw Stop and Forked Tooth, Shoulder Boxed.

As Illustrated ... **27/-** each.

MARPLES TOOLS are guaranteed.

BEST HAND MADE PLANES.

"SHAMROCK BRAND"

Sash Fillister Planes.



Sash Fillister Planes, Capped Stems.

2932 Screw Stop ..... **27/-** each.

2933 Improved Stop, Shoulder Boxed, with Eye Hole ..... **33/-** each.

Left-handed Sash Fillister Planes, with Improved Stop, Forked Tooth.

2934 Shoulder Boxed ..... **42/-** each.

2935 Dovetail Boxed, as illustrated **48/-** each.

Bead and Moulding Planes.



3001 Beads, boxed to $\frac{5}{8}$ inch **6/9** each.
$\frac{3}{4}$ inch **7/-** ,,

3002 Beads, slipped ..... **1/-** each extra.
Every $\frac{1}{8}$ inch above $\frac{3}{4}$ inch, **-/6** extra.

3000 Astragal, to $\frac{1}{2}$ inch..... **7/6** each.
Every $\frac{1}{8}$ in. above $\frac{1}{2}$ in. to 1 in., **-/6** extra; above 1 in., **-/8** extra.



3020 Common Ovaloes, to $\frac{1}{2}$ inch..... **7/6** each.

3021 Common Ogees, to $\frac{1}{2}$ inch..... **7/6** each.
Every $\frac{1}{8}$ inch above $\frac{1}{2}$ inch, **-/6** extra.

3036 Reed Planes, single reed, to $\frac{3}{8}$ inch ..... **9/6** each.
3037 ,, ,, two reeds, to $\frac{3}{8}$ inch ..... **10/-** ,,
3038 ,, ,, three reeds, to $\frac{3}{8}$ inch ..... **12/-** ,,
Every $\frac{1}{8}$ inch above $\frac{3}{8}$ inch, **-/6** extra.



Sash Planes.

3041 Ovaloe Sash Planes to $\frac{5}{8}$ inch..... **6/6** each.
Every $\frac{1}{8}$ inch above $\frac{5}{8}$ inch, **-/6** extra.

Complete illustrated List of Beechwood Planes on request.

The right tool for the right job.

MARPLES "M" PLANES

Best Grey Iron Castings, Handles & Knobs of Selected Rosewood. All adjustable Smooth and Precise. Cutting Irons of MARPLES SPECIAL EDGE TOOL STEEL - Crucible Cast.

SMOOTH PLANES



Pattern.	Length.	Width of Cutter.	Price Complete.	Spare Cut Irons.
M3	8″	1¾″	13/–	1/9 each
M4	9″	2″	13/6	2/– ,,
M4½	10″	2⅜″	16/–	2/4 ,,

JACK PLANES



Pattern.	Length.	Width of Cutter.	Price Complete.	Spare Cut Irons.
M5	14″	2″	16/6	2/– each
M5½	15″	2¼″	18/6	2/3 ,,

JOINTER PLANES



Pattern.	Length.	Width of Cutter.	Price Complete.	Spare Cut Irons.
M6	18″	2⅜″	21/–	2/4 each
M7	22″	2⅜″	25/–	2/4 ,,

You are safe with MARPLES.

RABBET PLANES.



Pattern.	Length.	Width of Cutter.	Price Complete.	Spare Cut Irons.
M10½	9"	2⅛"	21/6	2/6 each.
M10	13"	2⅛"	23/–	2/6 "

Bull Nose Rabbet Planes.



M75 Length 4", Cutter 1" **2/6** each
(Adjustable Mouth)
Spare Cutter..... **1/1** "



M77 Length 4", Cutter 1⅛" **10/- ea.**
(Adjustable Mouth)
Spare Cutter ..... **1/6 ea.**

Duplex Rabbet and Fillister Planes.



M78 Length 8½", Cutter 1½"... **11/3** each
Spare Cutter ..... **1/5** "



M40 Grooving Planes.

With adjustable Depth Gauge, etc. Will cut grooves ½" deep up to 3" from edge. Complete with three Cutters ⅛, 3/16, ¼ ins. Nickel-plated fittings ..... **6/6** each.

BLOCK PLANES.

M102 Length 5½", Cutter 1⅜" **2/6** each
Spare Cutter ..... **1/1** "



M110 Length 7", Cutter 1⅝" **4/–** each
Spare Cutter ..... **1/5** "



M120 Length 7", Cutter 1⅝" **5/6** each
(Screw Adjusting Cutter)
Spare Cutter ..... **1/8** "



M130 Length 8", Cutter 1⅝" **6/–** each
(Double End, Non-Adjustable)
Spare Cutter ..... **1/5** "

ROUTER PLANES.



M71 With Open Throat
Length 7½", complete with 3 Cutters, ¼", ½" and Smoothing ..... **15/–** each.



M71½ With Closed Throat
Length 7½", complete with 3 Cutters, ¼", ½" and Smoothing ..... **12/–** each.

M44 PLOUGH PLANE.



Rustless plated. With adjustable depth gauge, etc. Will cut grooves ⅝" deep up to 5" from edge. Complete with eight Cutters ⅛ to 9/16 ins. **17/6** each.



M50 IMPROVED COMBINATION PLANE.

Rustless plated. With screw adjustment to Cutter and narrow Cutter Clamping Bracket. Complete with Seventeen Cutters, viz: Plough or Grooving Cutters ⅛, 3/16, ¼, 5/16, ⅜, 7/16, ½, 5/8, ⅞ ins. Beading Cutters ⅛, 3/16, ¼, 5/16, ⅜, 7/16, ½ ins. Tongueing Cutter ¼ in.

Suitable for Ploughing, Dadoing, Beading, Centre Beading, Rabbeting and Fillistering, Tongueing and Grooving.

Price 30/– each.





MARPLES "M" SPOKESHAVES

Cutting Irons of Marples Special Edge Tool Steel. Crucible Cast.

M51	Raised Handles. Length 10 in. Cutter 2⅛ in.	2/–	each.
M51R	As above, with Round Face.....	2/–	,,
M51½ and M51½R "Unbreakable".....		2/9	,,
	Spare Cutters.....	–/10	,,

M151	Adjustable Cutter, Raised Handles. Length 10in. Cutter 2⅛in.	2/9	each.
M151R	As above, with Round Face.....	2/9	,,
M151½	and **M151½R "Unbreakable"**	3/3	,,
	Spare Cutters.....	–/10	,,



M53	Adjustable Mouth for Coarse or Fine Work. Raised Handles. Length 10 in. Cutter 2⅛in.	2/6	each.
	Spare Cutters for M53.....	–/10	,,

M64	Light Pattern, Straight Handles. Length 9 in. Cutter 1¾in.....	1/6	each.
M63	As above with Round Face.....	1/6	,,
	Spare Cutters for M64 and M63.....	–/8	,,

M55	Hollow Face, Raised Handles, Length 10 in. Cutter 2⅛ in.....	2/3	each.
	Spare Cutters for M55.....	–/10	,,

SCRAPERS.

M70	BOX SCRAPER. Ash Handled, Length 13 in. Blade 2 in.....	4/–	each.
	Spare Blades.....	1/–	,,



M80	CABINET SCRAPER. Length 11in. Blade 2¾ in.	4/6	each.
	Spare Blades.....	1/–	,,

British tools are reliable.

HANDLED HAMMERS.



3511 Joiners' Warrington Pattern Hammers.

Nos.	0	1	2	3	4	
	1/2	1/3	1/4	1/6	1/9	each.
Nos.	5	6	7	8	10	
	2/1	2/6	2/9	3/2	4/9	each.



3510 Exeter Hammers.

Nos.	0	1	2	3	4	
	1/2	1/3	1/4	1/6	1/9	each.
Nos.	5	6	7	8	10	
	2/1	2/6	2/9	3/2	4/9	each.



3513 Canterbury Claw Hammers.

Nos.	0	1	2	3	4	
	3/2	3/5	3/11	4/5	5/–	each.
Nos.	5	6	7	8		
	5/9	6/3	7/4	8/5		each.



3514 Bright Kent Claw Hammers.

Nos.	0	1	2		
	1/9	1/10	2/1		each.
Nos.	3	4	5	6	
	2/4	2/11	3/5	3/11	each.

MARPLES TOOLS are a cut above the others.

HANDLED HAMMERS.



3525 Best Bright Cast Steel Nail Hammers, Adze Eye, Hickory Handle.

No.	1	2	3	4	
	13	16	20	24	ozs.
	5/–	**5/3**	**5/6**	**5/9**	ea.



3518 Bench Claw Hammers.

No.	00	0	1	2	
	½	¾	⅞	1	lb.
	1/10	**1/11**	**2/1**	**2/3**	ea.

No.	3	4	5	6	
	1¼	1½	1¾	2	lbs.
	2/8	**3/2**	**4/2**	**5/3**	ea.



Patternmakers' Hammers.

Weight of Head	3	6	ozs.
3520 Cross Pane	**1/7**	**2/1**	each.
3522 Ball Pane	**1/7**	**2/1**	,,

HAMMER HANDLES.

7700 Best Ash Hammer Handles, Joiners' Pattern, to 14 ins. ..... **–/3** each.
16 and 18 ins. **–/4½** ,,

TACK HAMMERS.



3527



3528



3529

3527/8/9 Tack Hammers, Black Finish, Polished Ball Handle..... **–/10½** each.

Ask your dealer's advice.

SOLID STEEL BALL PANE HAMMERS.



4823 Handled Ball Pane Hammers.

Weight of Head.....	¼ to 1	1¼	1½	1¾	2	2½	3	3½	4	lbs.
	1/5	1/9	2/–	2/3	2/6	3/1	3/7	4/1	4/7	each.

MALLETS.



7715 Carpenters' Beechwood Mallets, Mortised Handle.

Size 4	4½	5	5½	6	ins.
1/8	1/9	1/11	2/2	2/6	each.

WOOD SCREW BOXES AND TAPS.



7734 up to ⅞"



7734 above ⅞"

7734 Wood Screw Boxes with Iron Tap.

To	⅝	¾	⅞	1	1⅛	1¼	1⅜	1½	1¾	2	2¼	2½	2¾	3	ins.
	10/6	12/–	12/9	13/6	15/–	18/–	19/6	21/–	24/–	33/–	42/–	54/–	63/–	72/–	each.

TOOL BASSES.

7173



7175

Nos.	1	2	3	4	5	6	
Width	23	27	30	33	36	39	ins.

7175 "Hardwear" Brown Canvas Basses	3/3	3/6	4/–	4/9	5/6	6/6	each.
7175½ Canvas, as above, with Brass Eyelets	3/9	4/–	4/6	5/6	6/3	7/3	„
				12	15	18	inches.

7173 Mechanics' Canvas Tool Bags ..... 4/– 4/6 5/6 each.

MARPLES TOOLS will dig into the future.

PLIERS, PINCERS AND NIPPERS.



6375



6350

		5	5½	6	7	8	inches.
6375	Round Joint Combination Cutting Pliers ...	2/1	2/1	2/1	2/11	3/7	each.

Lancashire Box Joint Pliers.	3	3½	4	4½	5	5½	6	7	8	inches.
6340 Flat Nose	2/6	2/6	2/6	2/6	2/9	3/3	4/3	6/–	9/–	each.
6350 Round Nose	2/6	2/6	2/6	2/6	2/9	3/3	4/3	6/–	9/–	,,



6420



6430

		5	6	7	8	9	10	inches.
6420	Best Tower Pincers, with knob and claw	2/3	2/6	3/–	3/7	5/–	6/4	each.
6428	Bright Shouldered Pincers, with knob and claw	—	1/11	2/–	2/9	—	—	,,
6430	Best Tower Cutting Nippers.....	—	3/10	4/6	5/–	6/6	7/6	,,

COMPASSES.

6455



6460

		5	6	7	8	9	10	inches.
6455	Bright Plain Compasses, Rule Joint ...	1/5	1/6	1/8	2/–	2/9	3/3	each.
6460	Best Black Lancashire Wing Compasses	3/3	3/9	4/3	4/6	5/3	5/6	,,
6463	Bright Wing Dividers, American pattern	—	3/9	4/3	5/–	5/6	5/9	,,

SPRING DIVIDERS.



6470 Best Lancashire Spring Dividers.

To	5	6	7	8	9	10	inches.
	5/–	5/9	6/9	8/3	10/–	12/-	each.

GLUE POTS AND GLUE BRUSHES.



7178 Iron Glue Kettles, Tinned Pan.

Nos.	8°	6°	4°	3°	2°	0	1	
Capacity	⅛	¼	⅜	9/16	¾	1	1¼	pints.
	2/9	3/6	4/-	4/3	5/-	5/6	6/-	each.

Nos.	2	3	4	5	6	7	8	10	
Capacity	1½	2	2½	3	3½	4	5	8	pints.
	7/6	9/-	10/9	12/9	15/-	17/6	19/6	25/6	each.

							¾	1	inch diam.
7180 Glue Brushes, Iron Bound							1/3	1/11	each.
							8°	4°	2°	1

7186 Stamped Steel Glue Kettles 1/- 2/6 3/- 3/9 each

STEEL NAME AND ALPHABET STAMPS.

7060



7061

Size of letters	3/32	⅛	3/16	¼	inch.

7060 Name Stamps for Wood (3 letters & above) -/4½ -/4½ -/7½ -/10½ per letter
7061 Name Stamps for Iron and Steel ditto. -/7½ -/7½ -/10½ 1/1½ "
For Stamps of 2 letters only, add 25% to above prices "per letter."

Size	1/16	3/32	⅛	5/32	3/16	¼	5/16	⅜	inch.
Sets in Tin Case.									
7062 Sets of 9 Fig. Stamps.....	5/3	5/3	5/3	6/-	6/9	7/6	9/-	11/3	set.
7064 Cheaper Quality ditto	4/-	4/-	4/-	4/6	5/3	6/-	7/6	9/-	"
7063 Sets of 27 Letter Stamps.....	15/9	15/9	15/9	18/-	20/3	22/6	27/-	33/9	"
7065 Cheaper Quality ditto ...	12/-	12/-	12/-	13/6	15/9	18/-	22/6	27/-	"

CORK RUBBERS AND FILE BRUSHES.



7740 Cork Rubbers, 4½in×2½in. -/4 each.



7741 Mounted File Cleaners, 4¾ in.×2 in..... -/8 each.

CARPENTERS' PENCILS.

7757 Carpenters' Oval Cedar Pencils, 7 inches, Unpolished ..... -/2 each.
7756 Ditto Octagon Red and Yellow Cedar Pencils, 7 inches..... -/2½ "

FILE HANDLES.

7650 Unpolished Ash File Handles, Steel Hoop..... 1/9 dozen.
7651 Polished Beech File Handles, Brass Hoop..... 2/3 "

Be as proud of your tools as you are of your work.

BENCH OIL CANS.



7162 Carpenters' Bench Oil Cans, Wide Mouth, Brass Bottom, $2\frac{3}{4}$ in diam. **1/2** each.



7167 Patent "Leak-Proof" Bench Oil Cans, Brass Bottom, $2\frac{3}{8}$ in. diam. **1/3** each.

OIL STONES AND GOUGE SLIPS.

7346

		6	7	8 inches.
7333	Best Welsh Oil Stones.....	-/7	-/9	1/3 each.
		8	9 inches.	
7345	Pike's American Washita Oil Stones, No. 1 Quality	6/6	7/6	each.
7346	Ditto ditto "Lilywhite" Quality	8/6	10/6	"
7347	No. 1 Washita Gouge Slips.....	2/3 each and upwards.		

Sizes of Oil Stones are approximate only, and prices vary according to Market conditions.

STOCKED OIL STONES.

	Size of Stone	6	7	8 inches.
7380	Best Welsh Oil Stones, in Polished Pine Case.....	2/6	3/-	3/6 each.
	Size of Stone	8	9 inches.	
	Pike's American Washita Oil Stones.			
7385	No. 1 Quality, in Polished Pine Case.....	10/6	11/9	each.
7386	"Lilywhite" Quality ditto.	12/6	14/6	"

Prices of all Oil Stones subject to Market Fluctuation.

Good tools mean good work.

WOODWORKERS' VICES.



4681 Woodworkers' Instantaneous and Continuous Grip Bench Vices, with Ribbed Front Jaw, Steel Slides, and Steel Fittings.

Nos.	1	2	3	
Jaws	7	9	10½	ins.
To open	8	13	15	ins.
Approx. Weight	18	31	36	lbs.

19/- 26/- 28/6 each.



No. 4682½

HOUSEHOLD PATTERN VICE
To Clamp under Bench or Table
Width of Jaws 6". Jaws Open 4½".
Approx. Weight - - 7 lbs.
Clamps to any Table Thickness to 2⅛".
Price - 7/6 each.



No. 4682

JOINERS' PATTERN VICE
to Screw under Bench.
Width of Jaws 6". Jaws Open 4½".
Approx. Weight - - 5½ lbs.
Price 6/6 each.



BENCH VICES.

4671 "Handy" Cast Iron Parallel Bench Vices, with Steel Jaw Plates and Steel Fittings.

Nos.	00	0	1	2	3	4	5	6	
Width of Jaws	2¼	2½	3	3½	4	4½	5	6	inches.
Opening	2	2¾	3¼	4	4¾	5½	6¼	7¼	"
Approx. Weight	5¾	8½	12	20½	32	42	59	76	lbs.
	7/6	**9/6**	**11/6**	**16/6**	**22/-**	**27/6**	**40/-**	**47/6**	each.

MARPLES TOOLS are guaranteed.

USEFUL SMALL VICES.



No. 4676 TABLE VICE.
Width of Jaws 1½" Jaws open 2"
Approx. Weight - - - - - 2 lbs.
Clamps to any Table Thickness to 2⅛ inch.
Price 3/9 each.



No. 4677
TABLE VICE
with anvil and
Swivel Base Locking
at any angle.
Width of Jaws ... 2½ ins.
Jaws Open ... ... 2½ ins.
Approx. Weight ...5 lbs.
Clamps to any Table Thickness to 2⅛ inch.
Price 7/6 each.



No. 4678.
BENCH VICE
For Permanent Fixing.
Width of Jaws ... 2½ ins.
Jaws Open ... 2½ ins.
Approx. Weight 3½ lbs.
Price 5/– each.



No. 4673
ALL-STEEL
BENCH VICE
With Serrated Jaws.
Width of Jaws 2 ins.
Jaws Open ... 2 ins.
Approx. Weight 3 lbs.
Price 4/6 each.



No. 4674
ALL-STEEL
TABLE VICE
with Serrated Jaws.
Width of Jaws ... 2 ins.
Jaws Open ... ... 2 ins.
Approx. Weight ... 4 lbs.
Clamps to any Table Thickness to 2⅛ inch.
Price 6/– each.

No. 4675½ CAST IRON BENCH VICE.
Width of Jaws - 3 ins. Jaws Open - 2½ ins.
Approx. Weight - - 8 lbs.
Price 7/6 each.

SAW VICES.

4684 Saw Vices, with Lever Grip. Width of Jaws, 8½ inches. **9/6** each.

WOOD BENCH VICES.

4696 "Shamrock" Beechwood Bench Vices, to screw to wood bench or table.

	No. 1	No. 2
Size of Jaws	12×3¼	14×3⅝ ins.
Diam. of Screws.	1	1¼ ins.
	2/6	**5/-** each





BENCH SCREWS.

4711 Bright Steel Bench Screws, with Split Collar.

Diam.	⅞	1	1⅛	1¼ ins.
Length	12	16	18	20 ins.
	6/3	**6/9**	**9/-**	**11/3 ea.**

4710 As above, but with Solid Collar.

Diam.	⅝	¾	⅞	1	1⅛	1¼ ins.
Length	8	10	12	16	18	20 ins.

4/3 5/3 6/6 7/3 9/6 12/- each.



4714 Beechwood Bench Screws.

Diameter	2	2¼	2½ inches
	4/-	**5/-**	**6/-** each.

HAND SCREWS.

4720 Best Beechwood Hand Screws.

Jaws	6	8	9	10	12	14 ins.
Screws	¾	¾	⅞	⅞	1	1 in.
	2/3	**2/4**	**2/6**	**2/9**	**3/-**	**3/9** each.



BENCH HOLDFASTS.



	Nos.	0	1	
	Size of Pillar	10×¾	12×⅞	inch.
4688	Bench Holdfasts	9/–	10/6	each.

	Nos.	2	3	4	
	Size of Pillar	14×1	16×1⅛	18×1¼	inches.
		13/6	16/6	21/–	each.

BENCH STOPS.



4701

4706



4700

4700	Malleable Iron Bench Stops.....	1/6 each.
4701	Malleable Iron Bench Stops with Rising Pillar.....	2/9 ,,
4705	Malleable Iron Bench Pegs, with Steel Spring.....	3/– ,,
4706	Beechwood Bench Pegs, with Steel Spring.....	1/3 ,,

BENCH HOOKS.

4697 Beechwood Bench Hooks, Dowelled Ends, 6 ins.×10 ins. ..... 1/9 each.

4698 Beechwood Chipping Boards, 8 inches×8 inches ..... 1/9 each.



A good tool is cheapest in the end.

GLUEING CRAMPS.



4727 Cabinet makers' Glueing Cramps; Sliding Arm with Instantaneous Grip, Bright Steel Bar, and Black Fittings.

To span	4	5	6	8	10	12	18	24	inches
Depth	2	3	$3\frac{1}{2}$	$4\frac{1}{2}$	$4\frac{1}{2}$	$5\frac{1}{2}$	8	8	"
Bar	$\frac{3}{4}\times\frac{1}{4}$	$\frac{7}{8}\times\frac{1}{4}$	$1\times\frac{1}{4}$	$1\frac{1}{4}\times\frac{1}{4}$	$1\frac{1}{4}\times\frac{1}{4}$	$1\frac{1}{4}\times\frac{1}{4}$	$1\frac{1}{2}\times\frac{5}{16}$	$1\frac{1}{2}\times\frac{5}{16}$	"
	5/-	6/-	6/9	7/6	8/-	10/-	16/6	17/6	each

G CRAMPS.



4721½ Ribbed G Cramps, with Steel Thumbscrew, Swivel End.

To span	2	3	4	5	6	7	8	10	inches
Depth	2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{5}{8}$	$2\frac{7}{8}$	$3\frac{3}{8}$	$3\frac{3}{4}$	$3\frac{3}{4}$	"
	2/-	2/3	3/-	3/9	4/6	5/3	6/6	7/6	each



4722 Ribbed G Cramps, with Steel Screw, Vice Handle.

To span	6	7	8	10	12	14	inches
Depth	$3\frac{1}{4}$	4	$4\frac{1}{2}$	$4\frac{1}{2}$	$4\frac{5}{8}$	5	"
	7/6	10/6	12/-	13/6	16/6	21/-	each

" Depth " is from centre of screw to inside edge of frame.

Good tools make your work easier.



4791.

CRAMP HEADS.

4791 "Hibernia" Cramp Heads, to fit on edge of any 1 inch board and convert it to a Joiner's Cramp of the desired length.....**3/6** per set.

4792 As above, large size, for $1\frac{1}{4}$ inch board **6/6** per set.

SASH CRAMPS.



Improved Sash Cramps, **Pin and Hole**, Height of Jaws, 2 ins.

Length of Bar.....	24	30	36	42	48	54	60	inches.
To take in	18	24	30	36	42	48	54	,,

4763 Bar $1\frac{1}{4}\times\frac{1}{4}$ in.	**9/-**	**9/3**	**9/6**	**9/9**	**10/-**	—	—	each.
4765 Bar $1\frac{1}{2}\times\frac{5}{16}$ in.	**11/-**	**11/3**	**11/6**	**12/-**	**12/9**	**13/6**	**14/-**	,,

JOINERS' STRONG CRAMPS.



T-Bar Joiners' Cramps.

Length of Bar...	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	7 feet
To take in	28	34	40	46	52	58	64	76 inches

4785 Bar $2\frac{5}{8}\times\frac{7}{8}$in. Jaws $2\frac{3}{4}$ins	**18/-**	**18/6**	**19/3**	**20/-**	**20/6**	**21/-**	**22/6**	**27/-** each
4784 Bar $2\frac{1}{8}\times\frac{5}{8}$in. Jaws $2\frac{1}{4}$in.	**17/-**	**17/6**	**18/-**	**18/6**	**19/-**	**20/-**	**20/6**	**22/6** ,,

British tools are reliable.

FLOOR CRAMPS.



Bissell's-Pattern Side-Action Floor Cramps, as illustrated.

4806 for Joists, 1½ to 4½ ins. **24/-** each.

4806½ for Joists, 1½ to 6 ins. **25/-** each.

"Handy" Floor Cramps, as above, but with Handle on top.

4808 for Joists 1½ to 4½ ins. **25/-** each.

4808½ for Joists 1½ to 6 ins. **26/-** each.



4813 Kimberley's Pattern Double-Prong Floor Cramps, for use in either right or left-hand position. For Joists 2 to 4 inches **19/6** each.

4812 Kimberley's Pattern Floor Cramps, as above, but Single Prong (non-reversible) **33/–** pair.



4820 Strong Lever Floor Cramps. For Joists 1½ to 3½ ins. **25/-** each.

PICTURE FRAMING TOOLS.

Corner Cramps.



6810 Improved Corner Cramps.
Nos. 1 2 3
For Mouldings to 1¼ 2¼ 4 ins. wide.
2/6 3/- 4/- each.



6804 "Marvel" Mitre Cutters and Cramps, with wood bed-strip to take the saw-cut. For Mouldings up to 3½ inches wide **15/-** each. Iron Back Saws, 14 inches to suit (extra) ... ... **7/-** each.

Mitre Templets



6814 Brass Mitre Templets.
Length 3½ 4½ 6 ins.
2/3 3/3 4/6 each.



6815 Iron Mitre Templets,
6 inches ... **2/-** each.

6812 Iron Square and Mitre Templet,
6 inches ... ... **2/6** each.
For mitreing and squaring up the ends of timber.



6813 Beechwood Mitre Templets,
6 inches ... **1/3** each.





Mitre Blocks

6816 Best Beechwood Mitre Blocks.
Length 10 12 inches.
1/- 1/3 each.

Ask your dealer's advice.

PICTURE FRAMING TOOLS.



Mitre Boxes

6821 Improved Beechwood Mitre Boxes with Adjustable Saw Guides, as illustrated.

	Nos.	1	2	
For Mouldings		3×2	4×2	inches.
		3/9	4/3	each.

6820 As above, but without Guides 2/- 2/6 each.



6836.

Shuteing Boards

Beechwood Shuteing Boards.

	18	24	inches.
6836 Mitre	10/6	12/-	each
6837 Square	10/6	12/-	,,



6840 Mount Cutters' Lever-blade Shears, hollow ground, to screw on board. The coil-spring keeps blades in contact the whole length of the cut.

To cut	11	13	15	18	24	inches
	21/-	27/-	33/-	45/-	78/-	each.
6841 As above, mounted on board with rule-marking	32/6	54/-	64/6	75/-	—	,,

Mount Cutting Knives and Straight Edges

6844 Mount Cutting Knives, Cast Steel Blade and Rosewood Pad ... 2/3 each.

6847 Blades only, for Mount Cutting Knives ... ... -/6 ,,

COLD CHISELS.

4910 Octagon Cast Steel Cold Chisels.

Length	6	7	8	9	10	12	14	16	18	24	inch.
¼ inch ...	-/8½	-/9	-/9½	-/10½	-/11	1/-	1/2	1/3	1/4	—	each.
5/16 " ...	-/10	-/11	1/-	1/1	1/2	1/3	1/5	1/7	1/9	2/2	"
⅜ " ...	1/1	1/1	1/2	1/4	1/5	1/7	1/10	2/-	2/2	2/9	"
7/16 " ...	1/4	1/5	1/7	1/8	1/9	2/-	2/3	2/6	2/8	3/6	"
½ " ...	1/7	1/9	1/10	2/-	2/2	2/6	2/11	3/4	3/8	4/10	"

WALL DRILLS.

6571 Hollow Wall Drills.

9×⅜	9×½	10×⅝	12×¾	12×⅞	12×1	16×1	18×1	inch.
1/5	1/8	2/-	2/8	3/-	3/6	4/6	4/9	each.

6572 Star-Section Wall Drills.

8×½	10×½	12×½	8×⅝	10×⅝	12×⅝	14×⅝	18×⅝	10×¾	inch.
1/-	1/1	1/2	1/2	1/3	1/5	1/6	1/9	1/6	each.
12×¾	14×¾	18×¾	12×⅞	14×⅞	18×⅞	12×1	14×1	18×1	inch.
1/8	1/9	2/-	2/-	2/3	2/6	2/9	3/-	3/6	each.

PLUGGING CHISELS.



Length	8	9	10½	12	inches.
6575 C.S. Plugging Chisels, with ⅛, 3/16, or ¼ in. points	1/5	1/5	1/6	1/8	each.

ADJUSTABLE WRENCHES.



Size ...	8	10	12	inches.
Will Span ...	1½	1¾	2	"
3416 Improved Screw Wrenches, Wood Core Handle ...	3/2	3/8	4/9	each.

"Whistle While You Work"—with MARPLES.



Forging MARPLES Famous Crucible Cast Steel Plane Irons.

SIX DON'TS FOR WOODWORKERS.

1 Don't regrind the edge of your chisel or plane iron without a liberal supply of water to keep the steel cool.

2 Don't soak your wood plane in linseed oil. An occasional wiping with an oily rag is all that is required.

3 Don't drop your square or throw it about. It was dead accurate when it left our works, but it will soon be out of true unless you take care of it.

4 Don't forget, too, that an occasional wiping of chisel blades, etc. will prevent rusting.

5 Don't forget that MARPLES have made tools for over 100 years. Their reputation has been built up solely on quality. The craftsman who earns his living with the tools he uses prefers MARPLES.

6 Don't forget that you too can do better work with better tools—so insist on MARPLES.

You can get

MARPLES

"SHAMROCK BRAND"

TOOLS

From

PRINTED IN ENGLAND